

### Formal description of segments

Segment: **UNA**      cons. No: 1      Level: 0      Service string advice  
 Status: M      Max. Occ.: 1

Description: **UNA**  
 Service string advice

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	StFormat WebEDI	Example	Remark
UNA	UNA Service string advice	M	M	UNA	
UNA1	Component data element separator	M an1	M an1	:	
UNA2	Data element separator	M an1	M an1	+	
UNA3	Decimal notation	M an1	M an1	.	
UNA4	Release indicator	M an1	M an1	?	
UNA5	Reserved for future use	M an1	M an1		
UNA6	Segment terminator	M an1	M an1	'	

**Comments**

*The delimiters for the entire transmission file will be defined.*

**Code values:**

UNA:+ ? '

### Formal description of segments

Segment: **UNB** cons. No: 2 Level 0 Interchange header  
 Status: M Max. Occ.: 1

Description **UNB**  
 Interchange header

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
UNB	UNB Interchange header	M	M	UNB	
S001	Syntax identifier	M	M		
0001	Syntax identifier	M a4	M a4	+UNOC	<b>Code: UNOC UN/EDCE level C</b> Specification of syntax ID and of character set used. Character set C (digits 0 to 9, all letters including language specific letters)
0002	Syntax version number	M n1	M n1	:3	<b>Code: 3 Syntax version number 3</b> Specification of syntax version used.
S002	Interchange sender	M	M		
0004	Sender identification	M an..35	M an..35	+SENDER	LH DUNS number
S003	Interchange recipient	M	M		
0010	Recipient identification	M an..35	M an..35	+RECIPIENT	Recipient's identification number
S004	Date/time of preparation	M	M		
0017	Date of preparation	M n6	M n6	+020701	
0019	Time of preparation	M n4	M n4	:1540	
0020	Interchange control reference	M an..14	M an..14	+0000100002	Reference number
S005	Recipient's reference, password	C	C		
0022	Recipient's reference/ password	M an..14	M	+	
0026	Application reference	C an..14	C	+	
0029	Processing priority code	C a1	C	+	
0031	Acknowledgement request	C n1	C	+	
0032	Communications agreement ID	C an..35	C	+	
0035	Test indicator	C n1	R n1	+T'	

#### Comments

#### Code values:

UNB+UNOC:3+SENDER+RECIPIENT+020701:1540+0000100002+++++T'

### Formal description of segments

Segment: **UNH** cons. No: 3 Level 0 Message header  
 Status: M Max. Occ.: 1

Description **UNH**  
 Message header

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
UNH	UNH Message header	M	M	UNH	
0062	Message reference number	M an..14	M an..14	+1	Specifying unequivocally the sender's message reference. Consecutive number of the message within the data interchange.
S009	Message identifier	M	M		
0065	Message type	M an..6	M an..6	+ORDERS	<b>Code: ORDERS Purchase order message</b> <b>Code: ORDCHG Purchase order change</b> Specifying the message type ID.
0052	Message version number	M an..3	M an..3	:D	<b>Code: D Draft version/UN/EDIFACT Directory</b> Specifying the version of the message type.
0054	Message release number	M an..3	M an..3	:99B	<b>Code: 99B Release 1999 - B</b> Specifying the version of the message directory.
0051	Controlling agency	M an..2	M an..2	:UN'	<b>Code: UN UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)</b> Identification of the organization that administrates this message type.

#### Comments

*The structure UNH - UNT may be repeated any number of times.*

#### Code values:

UNH+1+ORDERS:D:99B:UN'

### Formal description of segments

Segment: **BGM**      cons. No: 4      Level: 0      Beginning of message  
 Status: M      Max. Occ.: 1

Description: **BGM**  
 Beginn der Nachricht  
 Beginning of message

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
BGM	BGM Beginn der Nachricht Beginning of message	M	M	BGM	
C002	Document/message name	C	R		
1001	Document name code	C an..3	R an..3	+220	<b>Code: 220</b> production material <b>Code: 221</b> contract order <b>Code: 222</b> FSA supplementary order <b>Code: 223</b> leasing / rental order <b>Code: 224</b> urgen order <b>Code: 225</b> Repair order <b>Code: 226</b> FSA delivery schedule <b>Code: 227</b> Consignment order <b>Code: 233</b> spare part order  <b>Code: AAA</b> cost order (Baan) <b>Code: AAB</b> cost order(eProc) <b>Code: AAC</b> subcontractor order <b>Code: AAD</b> direct delivery order <b>Code: AAE</b> manual order <b>Code: AAF</b> guarantee order
C106	Document/message identification	C	R		
1004	Document/message number	C an..35	R an..35	+605-0	Order number
1225	Message function code	C an..3	C an..3	+9'	<b>Code: 9</b> Original <b>Code: 7</b> Duplicate

#### Comments

**Code values:**  
 BGM+220+605-0+9'

### Formal description of segments

Segment: **DTM**      cons. No: 5      Level: 1      Date/time/period  
 Status: M      Max. Occ.: 1

Description: **DTM\_01**  
 Bestelldatum  
 Order Date

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
DTM	DTM_01 Bestelldatum Order Date	M	M	DTM	
C507	Date/time/period	M	M		
2005	Date/time/period function code qualifier	M an..3	M an..3	+137	<b>Code: 137</b> <b>Document/message date/ time</b>
2380	Date/time/period value	C an..35	R n..12	: 200507061 520	
2379	Date/time/period format code	C an..3	R an..3	:203'	<b>Code: 203</b> <b>CCYYMMDDHHMM</b>

#### Comments

#### Code values:

DTM+137:200507061520:203'

### Formal description of segments

Segment: **FTX** cons. No: 6 Level 1 Free text  
 Status: C Max. Occ.: 1

Description **FTX\_01**  
 Verschiedene Freitexte  
 Various lines of free text

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_01 Verschiedene Freitexte Various lines of free text	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+AFM	<b>Code: AFM Title</b>
4453	Text function, coded	C an..3	X	+	
C107	Text reference	C	X		
4441	Free text value code	M an..17	X	+	
C108	Text literal	C	C		
4440	Free text value	M an..512	M an..70	+Beliebiger Text	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text 2	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text 3	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text 4	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text 5'	Free text information

**Comments**

*One instance per qualifier*

**Code values:**

FTX+AFM+++Beliebiger Text:Fortsetzung Text 2:Fortsetzung Text 3:Fortsetzung Text 4:Fortsetzung Text 5'

### Formal description of segments

Segment: **FTX** cons. No: 7 Level 1 Free text  
 Status: C Max. Occ.: 2

Description **FTX\_01**  
**Fußzeile**  
**Footer text**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_01 Fußzeile Footer text	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+ADU	<b>Code: ADU</b> <b>Note</b>
4453	Text function, coded	C an..3	X	+	
C107	Text reference	C	X		
4441	Free text value code	M an..17	X	+	
C108	Text literal	C	C		
4440	Free text value	M an..512	M an..70	+Beliebiger Fußtext	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Beliebiger Fußtext	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Beliebiger Fußtext	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Beliebiger Fußtext	Free text information
4440	Free text value	C an..512	C an..70	:X'	Free text information

#### Comments

#### Code values:

FTX+ADU+++Beliebiger Fußtext:Fortsetzung Beliebiger Fußtext:Fortsetzung Beliebiger Fußtext:Fortsetzung Beliebiger Fußtext:X'

### Formal description of segments

Segment: **FTX**      cons. No: 8      Level 1      Free text  
 Status: C      Max. Occ.: 2

Description      FTX\_01  
 Verpackungsbedingungen  
 Packaging rules

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_01 Verpackungsbedingunge n Packaging rules	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+ZZZ	<b>Code: ZZZ      Packing Terms</b>
4453	Text function, coded	C an..3	X	+	Text of Packing Terms
C107	Text reference	C	X		
4441	Free text value code	M an..17	X	+	
C108	Text literal	C	C		
4440	Free text value	M an..512	M an..70	+Verpackun gsbedingun gen	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Verpackung sbedingun gen	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Verpackung sbedingun gen'	Free text information

#### Comments

#### Code values:

FTX+ZZZ+++Verpackungsbedingungen:Fortsetzung Verpackungsbedingungen:Fortsetzung Verpackungsbedingunge  
n'



### Formal description of segments

Segment: **FTX**      cons. No: 9      Level 1      Free text  
 Status: C      Max. Occ.: 2

Description      FTX\_01  
 Text zum Lieferanten  
 Supplier remarks

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_01 Text zum Lieferanten Supplier remarks	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+SUR	<b>Code: SUR      Supplier remarks</b>
4453	Text function, coded	C an..3	X	+	
C107	Text reference	C	X		
4441	Free text value code	M an..17	X	+	
C108	Text literal	C	C		
4440	Free text value	M an..512	M an..70	+Text zum Lieferanten	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text zum Lieferanten'	Free text information

#### Comments

#### Code values:

FTX+SUR+++Text zum Lieferanten:Fortsetzung Text zum Lieferanten'

### Formal description of segments

Segment: **FTX** cons. No: 10 Level 1 Free text  
 Status: C Max. Occ.: 2

Description **FTX\_01**  
 Text zum Spediteur  
 Carrier remarks

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_01 Text zum Spediteur Carrier remarks	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+TRA	<b>Code: TRA      Transportation information</b>
4453	Text function, coded	C an..3	X	+	
C107	Text reference	C	X		
4441	Free text value code	M an..17	X	+	
C108	Text literal	C	C		
4440	Free text value	M an..512	M an..70	+Text zum Spediteur	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text zum Spediteur'	Free text information

#### Comments

#### Code values:

FTX+TRA+++Text zum Spediteur:Fortsetzung Text zum Spediteur'

### Formal description of segments

Segment: **FTX**      cons. No: 11      Level      1      Free text  
 Status: C      Max. Occ.: 2

Description      **FTX\_01**  
 Zollinformationen  
 Custom information

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_01 Zollinformationen Custom information	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+AAH	<b>Code: AAH      Customs information</b>
4453	Text function, coded	C an..3	X	+	
C107	Text reference	C	X		
4441	Free text value code	M an..17	X	+	
C108	Text literal	C	C		
4440	Free text value	M an..512	M an..70	+Zollinform ationen	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Zollinformat ionen'	Free text information

#### Comments

#### Code values:

FTX+AAH+++Zollinformationen:Fortsetzung Zollinformationen'

### Formal description of segments

Segment: **FTX** cons. No: 12 Level 1 Free text  
 Status: C Max. Occ.: 1

Description **FTX\_01**  
**Text zu AGB**  
**Terms and Conditions**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_01 Text zu AGB Terms and Conditions	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+ABC	<b>Code: ABC</b> <b>Conditions of sale or purchase</b>
4453	Text function, coded	C an..3	X	+	
C107	Text reference	C	X		
4441	Free text value code	M an..17	X	+	
C108	Text literal	C	C		
4440	Free text value	M an..512	M an..70	+Beliebiger Text	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text 2	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text 3	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text 4	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text 5'	Free text information

**Comments**  
**One instance per qualifier**

**Code values:**  
 FTX+ABC+++Beliebiger Text:Fortsetzung Text 2:Fortsetzung Text 3:Fortsetzung Text 4:Fortsetzung Text 5'

### Formal description of segments

**Group:** **SG1** Status: C Max. Occ.: 1 RFF

**Segment:** **RFF** cons. No: 13 Level 1 Reference  
 Status: M Max. Occ.: 1

**Description** RFF\_01  
 Mandant  
 Mandant

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_01 Mandant Mandant	M	M	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+AST	<b>Code: AST Client</b>
1154	Reference identifier	C an..35	C an..35	:108'	Client

#### Comments

**Code values:**  
 RFF+AST:108'

### Formal description of segments

Group: **SG1** Status: C Max. Occ.: 1 RFF

Segment: **RFF** cons. No: 14 Level 1 Reference  
 Status: M Max. Occ.: 1

Description **RFF\_01**  
**DFÜ - Übertragungsnummer**  
 Interchange reference number

EDIFACT ORDERS D99.B					
Seg.	Description	St Format EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_01 DFÜ - Übertragungsnummer Interchange reference number	M	M	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+ZZZ	<b>Code: ZZZ</b> <b>Mutually defined reference number</b>
1154	Reference identifier	C an..35	C an..35	:LWE108. 554223. 12345.889'	Interchange reference number

#### Comments

#### Code values:

RFF+ZZZ:LWE108.554223.12345.889'

### Formal description of segments

**Group:** **SG1** Status: C Max. Occ.: 1 RFF

**Segment:** **RFF** cons. No: 15 Level 1 Reference  
 Status: M Max. Occ.: 1

**Description** RFF\_01  
 Referenznummer  
 Reference number

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_01 Referenznummer Reference number	M	M	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+AOE	<b>Code: AOE</b> <b>Sender's file reference number</b>
1154	Reference identifier	C an..35	C an..35	:LH Referenz'	Reference A Our Reference

**Comments**

**Code values:**  
 RFF+AOE:LH Referenz'

### Formal description of segments

**Group:** **SG1** Status: C Max. Occ.: 1 RFF

**Segment:** **RFF** cons. No: 16 Level 1 Reference  
 Status: M Max. Occ.: 1

**Description** RFF\_01  
 Referenznummer  
 Reference number

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_01 Referenznummer Reference number	M	M	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+AOF	<b>Code: AOF</b> <b>Receiver's file reference number</b>
1154	Reference identifier	C an..35	C an..35	:Lieferanten Referenz'	Reference B Your Reference

#### Comments

#### Code values:

RFF+AOF:Lieferanten Referenz'



### Formal description of segments

**Group:** **SG1** Status: C Max. Occ.: 1 RFF-DTM

**Segment:** **RFF** cons. No: 17 Level 1 Reference  
 Status: M Max. Occ.: 1

**Description** RFF\_01  
 Referenznummer  
 Reference number

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_01 Referenznummer Reference number	M	M	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+ON	<b>Code: ON Order number (purchase)</b>
1154	Reference identifier	C an..35	C an..35	:605-0'	Order number

#### Comments

**Code values:**  
 RFF+ON:605-0'

### Formal description of segments

**Group:** **SG1** Status: C Max. Occ.: 1 RFF-DTM

**Segment:** **DTM** cons. No: 18 Level 2 Date/time/period  
 Status: C Max. Occ.: 1

**Description** **DTM\_02**  
**Auftragsdatum**  
**Order Date**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
DTM	DTM_02 Auftragsdatum Order Date	C	C	DTM	
C507	Date/time/period	M	M		
2005	Date/time/period function code qualifier	M an..3	M an..3	+171	<b>Code: 171</b> <b>Reference date/time</b>
2380	Date/time/period value	C an..35	R n..12	: 200501011 320	Order date
2379	Date/time/period format code	C an..3	R an..3	:203'	<b>Code: 203</b> <b>CCYYMMDDHHMM</b>

**Comments**

**Code values:**

DTM+171:200501011320:203'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Segment:** **NAD** cons. No: 19 Level 1 Name and address  
 Status: M Max. Occ.: 1

**Description** NAD\_01  
 SU - Supplier/Lieferant  
 SU - Supplier

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
NAD	NAD_01 SU - Supplier/Lieferant SU - Supplier	M	M	NAD	
3035	Party function code qualifier	M an..3	M an..3	+SU	<b>Code: SU Supplier</b>
C082	Party identification details	C	C		
3039	Party identifier	M an..35	M an..35	+10008011	Supplier number
C058	Name and address	C	R		
3124	Name and address line	M an..35	R an..35	+	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Alois Mueller GmbH & Co.	Supplier's company name
3036	Party name	C an..35	C an..35	:NZeile_2	
3036	Party name	C an..35	C an..35	:NZeile_3	
3036	Party name	C an..35	C an..35	:NZeile_4	
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Zollerstr. 7	
3164	City name	C an..35	R an..35	+Fischbach	
C819	Country sub-entity details	C	X		
3229	Country sub-entity name code	C an..9	X	+	
3251	Postal identification code	C an..17	C an..17	+86850	
3207	Country name code	C an..3	C an..3	+DE'	Country codes <b>Code: DE GERMANY</b> <b>Code: BE BELGIUM</b> <b>Code: ES SPAIN</b> <b>Code: FR FRANCE</b> <b>Code: GB UNITED KINGDOM</b> <b>Code: IT ITALY</b> <b>Code: NL NETHERLANDS</b> <b>Code: PT PORTUGAL</b>

### Formal description of segments

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
					<b>Code: US      UNITED STATES</b> Other codes according to ISO 3166

#### Comments

#### Code values:

NAD+SU+10008011++Alois Mueller GmbH & Co.:NZeile\_2:NZeile\_3:NZeile\_4+Zollerstr. 7+Fischbach++86850+DE'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG3** Status: C Max. Occ.: 1 RFF

**Segment:** **RFF** cons. No: 20 Level 2 **Reference**  
 Status: M Max. Occ.: 1

**Description** RFF\_02  
 Umsatzsteuernummer  
 VAT number

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_02 Umsatzsteuernummer VAT number	M	M	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+VA	<b>Code: VA</b> <b>VAT registration number</b>
1154	Reference identifier	C an..35	C an..35	:DE36719'	Supplier's VAT-Id

#### Comments

**Code values:**  
 RFF+VA:DE36719'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG3** Status: C Max. Occ.: 1 RFF

**Segment:** **RFF** **cons. No: 21** Level 2 **Reference**  
 Status: C Max. Occ.: 1

**Description** RFF\_02  
 DUNS - Nummer des Lieferanten  
 DUNS number

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_02 DUNS - Nummer des Lieferanten DUNS number	C	C	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+ARB	<b>Code: ARB</b> <b>Prior Data Universal Number System (DUNS) number</b>
1154	Reference identifier	C an..35	C an..35	:33491019'	Supplier's DUNS number

#### Comments

**Code values:**  
 RFF+ARB:33491019'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG3** Status: C Max. Occ.: 1 RFF

**Segment:** **RFF** cons. No: 22 Level 2 **Reference**  
 Status: C Max. Occ.: 1

**Description** RFF\_02  
 Steuernummer des Lieferanten  
 Supplier's fiscal number

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_02 Steuernummer des Lieferanten Supplier's fiscal number	C	C	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+FC	<b>Code: FC</b> <b>Fiscal number</b>
1154	Reference identifier	C an..35	C an..35	:222/333/ 899'	Supplier's fiscal number

#### Comments

**Code values:**  
 RFF+FC:222/333/899'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG3** Status: C Max. Occ.: 1 RFF

**Segment:** **RFF** cons. No: 23 Level 2 **Reference**  
 Status: M Max. Occ.: 1

**Description** RFF\_02  
 Referenznummer  
 Reference number

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_02 Referenznummer Reference number	M	M	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+ZZZ	<b>Code: ZZZ Mutually defined reference number</b>
1154	Reference identifier	C an..35	C an..17	:LWE#108'	Together with the supplier number, this code will form a unique key for assigning an incoming ORDERS message to the correct supplier within the WebEDI system.

#### Comments

**Code values:**  
 RFF+ZZZ:LWE#108'



### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: R	Max. Occ.: 1	NAD-SG3-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>CTA</b>	<b>cons. No: 24</b> Status: M	Level 2 Max. Occ.: 1	<b>Contact information</b>

**Description**     **CTA\_01**  
**Ansprechpartner - Lieferantenkontakt - SU**  
**Contact person - Supplier contact - SU**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
CTA	CTA_01 Ansprechpartner - Lieferantenkontakt - SU Contact person - Supplier contact - SU	M	M	CTA	
3139	Contact function code	C an..3	R an..3	+SU	<b>Code: SU     Supplier contact</b>
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	X	+	
3412	Department or employee	C an..35	C an..35	:Mueller'	Purchasing organization and purchasing group of the customer/department.

#### Comments

**Code values:**  
CTA+SU+:Mueller'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 25 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Telefon - TE**  
**Communication contact - Telephone - TE**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Telefon - TE Communication contact - Telephone - TE	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+0911 555 0162	
3155	Communication number code qualifier	M an..3	M an..3	:TE'	<b>Code: TE Telephone</b>

#### Comments

#### Code values:

COM+0911 555 0162:TE'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: R	Max. Occ.: 1	NAD-SG3-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>COM</b>	cons. No: 26 Status: C	Level 3 Max. Occ.: 1	<b>Communication contact</b>

**Description**      **COM\_01**  
**Kommunikationsverbindung - Fax - FX**  
**Communication contact - Fax - FX**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Fax - FX Communication contact - Fax - FX	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+0911 555 0100	Supplier's FAX No
3155	Communication number code qualifier	M an..3	M an..3	:FX'	<b>Code: FX      Telefax</b>

#### Comments

**Code values:**  
COM+0911 555 0100:FX'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 27 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Email - EM**  
**Communication contact - Email - EM**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Email - EM Communication contact - Email - EM	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+alois.mueller@mueller.de	Supplieerr's email address
3155	Communication number code qualifier	M an..3	M an..3	:EM'	<b>Code: EM</b> <b>Electronic mail</b>

#### Comments

#### Code values:

COM+alois.mueller@mueller.de:EM'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Segment:** **NAD** cons. No: 28 Level 1 Name and address  
 Status: M Max. Occ.: 1

**Description** **NAD\_01**  
**BY - Buyer/Käufer**  
**BY - Buyer**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
NAD	NAD_01 BY - Buyer/Käufer BY - Buyer	M	M	NAD	
3035	Party function code qualifier	M an..3	M an..3	+BY	<b>Code: BY Buyer</b>
C082	Party identification details	C	R		
3039	Party identifier	M an..35	M an..35	+602123	Buyer number
C058	Name and address	C	D		
3124	Name and address line	M an..35	M an..35	+LWE#108	Organisation code
3124	Name and address line	C an..35	R an..35	:Text	Organisation code
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+LIEBHERR WERK	Company name
3036	Party name	C an..35	C an..35	:NZeile_2	
3036	Party name	C an..35	C an..35	:NZeile_3	
3036	Party name	C an..35	C an..35	:NZeile_4	
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Autostr. 4	
3164	City name	C an..35	C an..35	+Berlin	
C819	Country sub-entity details	C	X		
3229	Country sub-entity name code	C an..9	X	+	
3251	Postal identification code	C an..17	C an..17	+123456	
3207	Country name code	C an..3	C an..3	+DE'	Country codes  <b>Code: DE GERMANY</b> <b>Code: BE BELGIUM</b> <b>Code: ES SPAIN</b> <b>Code: FR FRANCE</b> <b>Code: GB UNITED KINGDOM</b> <b>Code: IT ITALY</b> <b>Code: NL NETHERLANDS</b> <b>Code: PT PORTUGAL</b>

### Formal description of segments

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
					<b>Code: US      UNITED STATES</b> Other codes according to ISO 3166

#### Comments

#### Code values:

NAD+BY+602123+LWE#108:Text+LIEBHERR WERK:NZeile\_2:NZeile\_3:NZeile\_4+Autostr. 4+Berlin++123456+DE'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG3** Status: C Max. Occ.: 1 RFF

**Segment:** **RFF** **cons. No: 29** Level 2 **Reference**  
 Status: M Max. Occ.: 1

**Description** RFF\_02  
 Umsatzsteuernummer  
 VAT number

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_02 Umsatzsteuernummer VAT number	M	M	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+VA	<b>Code: VA</b> <b>VAT registration number</b>
1154	Reference identifier	C an..35	C an..35	:DE123456'	Buyer's VAT-Id

#### Comments

**Code values:**  
 RFF+VA:DE123456'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG3** Status: C Max. Occ.: 1 RFF

**Segment:** **RFF** **cons. No: 30** Level 2 **Reference**  
 Status: C Max. Occ.: 1

**Description** RFF\_02  
 Liebherr-Steuernummer  
 Liebherr's fiscal number

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_02 Liebherr-Steuernummer Liebherr's fiscal number	C	C	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+FC	<b>Code: FC</b> <b>Liebherr-Steuernummer</b>
1154	Reference identifier	C an..35	C an..35	:580001/ 1234'	Liebherr's fiscal number

#### Comments

**Code values:**  
 RFF+FC:580001/1234'



### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG3** Status: C Max. Occ.: 1 RFF

**Segment:** **RFF** cons. No: 31 Level 2 **Reference**  
 Status: M Max. Occ.: 1

**Description** RFF\_02  
 DUNS - Nummer  
 DUNS number

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_02 DUNS - Nummer DUNS number	M	M	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+ARB	<b>Code: ARB</b> <b>Prior Data Universal Number System (DUNS) number</b>
1154	Reference identifier	C an..35	C an..35	:580001/1'	Liebherr's DUNS number

**Comments**

**Code values:**  
 RFF+ARB:580001/1'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: R	Max. Occ.: 1	NAD-SG3-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>CTA</b>	<b>cons. No: 32</b> Status: M	Level 2 Max. Occ.: 1	<b>Contact information</b>

**Description**     **CTA\_01**  
**Ansprechpartner - Einkäufer - PD**  
**Contact person - Purchaser**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
CTA	CTA_01 Ansprechpartner - Einkäufer - PD Contact person - Purchaser	M	M	CTA	
3139	Contact function code	C an..3	R an..3	+PD	<b>Code: PD     Purchasing Contact</b>
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	X	+7709	
3412	Department or employee	C an..35	C an..35	:Schulze'	Name of contact person

**Comments**

**Code values:**

CTA+PD+7709:Schulze'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 33 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Telefon - TE**  
**Communication contact - Telephone - TE**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Telefon - TE Communication contact - Telephone - TE	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+08938225553	
3155	Communication number code qualifier	M an..3	M an..3	:TE'	<b>Code: TE Telephone</b>

#### Comments

#### Code values:

COM+08938225553:TE'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 34 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Fax - FX**  
**Communication contact - Fax - FX**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Fax - FX Communication contact - Fax - FX	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+08938225100	FAX No
3155	Communication number code qualifier	M an..3	M an..3	:FX'	<b>Code: FX</b> <b>Telefax</b>

#### Comments

**Code values:**  
 COM+08938225100:FX'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: R	Max. Occ.: 1	NAD-SG3-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>COM</b>	cons. No: 35 Status: C	Level 3 Max. Occ.: 1	<b>Communication contact</b>

**Description**      **COM\_01**  
**Kommunikationsverbindung - Email - EM**  
**Communication contact - Email - EM**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Email - EM Communication contact - Email - EM	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+frank.schulze@atos-buyer.com	email address
3155	Communication number code qualifier	M an..3	M an..3	:EM'	<b>Code: EM      Electronic mail</b>

**Comments**

**Code values:**

COM+frank.schulze@atos-buyer.com:EM'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **CTA** cons. No: 36 Level 2 **Contact information**  
 Status: M Max. Occ.: 1

**Description** CTA\_01  
 Abteilung - EDI-Manager - NT  
 Department - EDI-Manager - NT

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
CTA	CTA_01 Abteilung - EDI-Manager - NT Department - EDI- Manager - NT	M	M	CTA	
3139	Contact function code	C an..3	R an..3	+NT'	<b>Code: NT</b> <b>EDI-Manager</b>

**Comments**

**Code values:**  
 CTA+NT'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 37 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Telefon - TE**  
**Communication contact - Telephone - TE**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Telefon - TE Communication contact - Telephone - TE	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+08938225553	
3155	Communication number code qualifier	M an..3	M an..3	:TE'	<b>Code: TE Telephone</b>

#### Comments

#### Code values:

COM+08938225553:TE'

### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 38 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Fax - FX**  
**Communication contact - Fax - FX**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Fax - FX Communication contact - Fax - FX	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+08938225100	FAX No
3155	Communication number code qualifier	M an..3	M an..3	:FX'	<b>Code: FX</b> <b>Telefax</b>

#### Comments

#### Code values:

COM+08938225100:FX'



### Formal description of segments

**Group:** **SG2** Status: R Max. Occ.: 1 NAD-SG3-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 39 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Email - EM**  
**Communication contact - Email - EM**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Email - EM Communication contact - Email - EM	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+edi. support@liebherr.com	email address
3155	Communication number code qualifier	M an..3	M an..3	:EM'	<b>Code: EM</b> <b>Electronic mail</b>

#### Comments

#### Code values:

COM+edi.support@liebherr.com:EM'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Segment:** **NAD** cons. No: 40 Level 1 Name and address  
 Status: M Max. Occ.: 1

**Description** **NAD\_01**  
**II - Rechnungsersteller**  
**II - Issuer of invoice**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
NAD	NAD_01 II - Rechnungsersteller II - Issuer of invoice	M	M	NAD	
3035	Party function code qualifier	M an..3	M an..3	+II	<b>Code: II</b> <b>Issuer of invoice</b>
C082	Party identification details	C	C		
3039	Party identifier	M an..35	M an..35	+075123	Invoice issuer number
C058	Name and address	C	X		
3124	Name and address line	M an..35	X	+	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Fa. XYZ GmbH	Invoice issuer
3036	Party name	C an..35	C	:	
3036	Party name	C an..35	C an..35	:NZeile_3	
3036	Party name	C an..35	C an..35	:NZeile_4	
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Zollerstr. 7	
3164	City name	C an..35	R an..35	+Fischbach	
C819	Country sub-entity details	C	X		
3229	Country sub-entity name code	C an..9	X	+	
3251	Postal identification code	C an..17	C an..17	+86850	
3207	Country name code	C an..3	C an..3	+DE'	Country codes  <b>Code: DE</b> <b>GERMANY</b> <b>Code: BE</b> <b>BELGIUM</b> <b>Code: ES</b> <b>SPAIN</b> <b>Code: FR</b> <b>FRANCE</b> <b>Code: GB</b> <b>UNITED KINGDOM</b> <b>Code: IT</b> <b>ITALY</b> <b>Code: NL</b> <b>NETHERLANDS</b> <b>Code: PT</b> <b>PORTUGAL</b> <b>Code: US</b> <b>UNITED STATES</b>

### Formal description of segments

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
					Other codes according to ISO 3166

#### Comments

#### Code values:

NAD+II+075123++Fa. XYZ GmbH::NZeile\_3:NZeile\_4+Zollerstr. 7+Fischbach++86850+DE'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: C	Max. Occ.: 1	NAD-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>CTA</b>	<b>cons. No: 41</b> Status: M	Level 2 Max. Occ.: 1	<b>Contact information</b>

**Description**     **CTA\_01**  
**Ansprechpartner - Rechnungskontakt - AD**  
**Contact person - Accounting contact - AD**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
CTA	CTA_01 Ansprechpartner - Rechnungskontakt - AD Contact person - Accounting contact - AD	M	M	CTA	
3139	Contact function code	C an..3	C an..3	+AD	<b>Code: AD     Accounting Contact</b>
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	X	+	
3412	Department or employee	C an..35	C an..35	:Schmidt'	Name of contact person

#### Comments

**Code values:**  
CTA+AD+:Schmidt'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 42 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Telefon - TE**  
**Communication contact - Telephone - TE**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Telefon - TE Communication contact - Telephone - TE	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+08938225456	
3155	Communication number code qualifier	M an..3	M an..3	:TE'	<b>Code: TE Telephone</b>

#### Comments

#### Code values:

COM+08938225456:TE'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 43 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Fax - FX**  
**Communication contact - Fax - FX**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Fax - FX Communication contact - Fax - FX	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+08938233100	FAX No
3155	Communication number code qualifier	M an..3	M an..3	:FX'	<b>Code: FX</b> <b>Telefax</b>

#### Comments

#### Code values:

COM+08938233100:FX'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: C	Max. Occ.: 1	NAD-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>COM</b>	<b>cons. No: 44</b> Status: C	Level 3 Max. Occ.: 1	<b>Communication contact</b>

**Description**      **COM\_01**  
**Kommunikationsverbindung - Email - EM**  
**Communication contact - Email - EM**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Email - EM Communication contact - Email - EM	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+karin.schmidt@atos-buyer.com	email address
3155	Communication number code qualifier	M an..3	M an..3	:EM'	<b>Code: EM      Electronic mail</b>

#### Comments

**Code values:**  
 COM+karin.schmidt@atos-buyer.com:EM'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Segment:** **NAD** cons. No: 45 Level 1 Name and address  
 Status: M Max. Occ.: 1

**Description** **NAD\_01**  
**IV - Invoicee/Rechnungsempfänger**  
**IV - Invoicee**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
NAD	NAD_01 IV - Invoicee/ Rechnungsempfänger IV - Invoicee	M	M	NAD	
3035	Party function code qualifier	M an..3	M an..3	+IV	<b>Code: IV Invoicee</b>
C082	Party identification details	C	C		
3039	Party identifier	M an..35	M an..35	+075123	
C058	Name and address	C	X		
3124	Name and address line	M an..35	X	+	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Fa. XYZ GmbH	Company name of invoice recipient.
3036	Party name	C an..35	C	:	
3036	Party name	C an..35	C an..35	:NZeile_3	
3036	Party name	C an..35	C an..35	:NZeile_4	
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Zollerstr. 7	Address of invoice recipient company, Street and No.
3164	City name	C an..35	R an..35	+Fischbach	
C819	Country sub-entity details	C	X		
3229	Country sub-entity name code	C an..9	X	+	
3251	Postal identification code	C an..17	C an..17	+86850	
3207	Country name code	C an..3	C an..3	+DE'	Country codes  <b>Code: DE GERMANY</b> <b>Code: BE BELGIUM</b> <b>Code: ES SPAIN</b> <b>Code: FR FRANCE</b> <b>Code: GB UNITED KINGDOM</b> <b>Code: IT ITALY</b> <b>Code: NL NETHERLANDS</b> <b>Code: PT PORTUGAL</b>



### Formal description of segments

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
					<b>Code: US      UNITED STATES</b> Other codes according to ISO 3166

#### Comments

#### Code values:

NAD+IV+075123++Fa. XYZ GmbH::NZeile\_3:NZeile\_4+Zollerstr. 7+Fischbach++86850+DE'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: C	Max. Occ.: 1	NAD-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>CTA</b>	<b>cons. No: 46</b> Status: M	Level 2 Max. Occ.: 1	<b>Contact information</b>

**Description**      **CTA\_01**  
**Ansprechpartner - Rechnungskontakt - AD**  
**Contact person - Accounting contact - AD**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
CTA	CTA_01 Ansprechpartner - Rechnungskontakt - AD Contact person - Accounting contact - AD	M	M	CTA	
3139	Contact function code	C an..3	C an..3	+AD	<b>Code: AD      Accounting Contact</b>
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	X	+	
3412	Department or employee	C an..35	C an..35	:Schmidt'	Name of contact person

**Comments**

**Code values:**  
 CTA+AD+:Schmidt'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 47 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Telefon - TE**  
**Communication contact - Telephone - TE**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Telefon - TE Communication contact - Telephone - TE	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+08938225456	
3155	Communication number code qualifier	M an..3	M an..3	:TE'	<b>Code: TE Telephone</b>

#### Comments

#### Code values:

COM+08938225456:TE'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 48 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Fax - FX**  
**Communication contact - Fax - FX**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Fax - FX Communication contact - Fax - FX	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+08938233100	FAX No
3155	Communication number code qualifier	M an..3	M an..3	:FX'	<b>Code: FX</b> <b>Telefax</b>

**Comments**

**Code values:**  
 COM+08938233100:FX'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: C	Max. Occ.: 1	NAD-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>COM</b>	<b>cons. No: 49</b> Status: C	Level 3 Max. Occ.: 1	<b>Communication contact</b>

**Description**      **COM\_01**  
**Kommunikationsverbindung - Email - EM**  
**Communication contact - Email - EM**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Email - EM Communication contact - Email - EM	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+karin.schmidt@atos-buyer.com	email address
3155	Communication number code qualifier	M an..3	M an..3	:EM'	<b>Code: EM      Electronic mail</b>

**Comments**

**Code values:**  
 COM+karin.schmidt@atos-buyer.com:EM'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Segment:** **NAD** cons. No: 50 Level 1 Name and address  
 Status: M Max. Occ.: 1

**Description** NAD\_01  
 CA - Carrier/Spediteur  
 CA - Carrier

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
NAD	NAD_01 CA - Carrier/Spediteur CA - Carrier	M	M	NAD	
3035	Party function code qualifier	M an..3	M an..3	+CA	<b>Code: CA</b> <b>Carrier</b>
C082	Party identification details	C	C		
3039	Party identifier	M an..35	M an..35	+12515	Carrier number
C058	Name and address	C	X		
3124	Name and address line	M an..35	X	+	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Spedition FSped	Carrier's name, Carrier's text 1/1
3036	Party name	C an..35	C an..35	:Spedition Fritz	
3036	Party name	C an..35	C an..35	:NZeile_3	
3036	Party name	C an..35	C an..35	:NZeile_4	
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Kurfuerste nstr. 234	Carrier's text 1/3
3164	City name	C an..35	R an..35	+Berlin	
C819	Country sub-entity details	C	X		
3229	Country sub-entity name code	C an..9	X	+	
3251	Postal identification code	C an..17	C an..17	+12109	Carrier's text 1/4
3207	Country name code	C an..3	C an..3	+DE'	Country codes
					<b>Code: DE</b> <b>GERMANY</b> <b>Code: BE</b> <b>BELGIUM</b> <b>Code: ES</b> <b>SPAIN</b> <b>Code: FR</b> <b>FRANCE</b> <b>Code: GB</b> <b>UNITED KINGDOM</b> <b>Code: IT</b> <b>ITALY</b> <b>Code: NL</b> <b>NETHERLANDS</b> <b>Code: PT</b> <b>PORTUGAL</b>

### Formal description of segments

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
					<b>Code: US      UNITED STATES</b> Other codes according to ISO 3166

#### Comments

#### Code values:

NAD+CA+12515++Spedition FSped:Spedition Fritz:NZeile\_3:NZeile\_4+Kurfuerstenstr. 234+Berlin++12109+DE'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: C	Max. Occ.: 1	NAD-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>CTA</b>	<b>cons. No: 51</b> Status: M	Level 2 Max. Occ.: 1	<b>Contact information</b>

**Description**      **CTA\_01**  
**Ansprechpartner - Informationskontakt - IC**  
**Contact person - Information contact - IC**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
CTA	CTA_01 Ansprechpartner - Informationskontakt - IC Contact person - Information contact - IC	M	M	CTA	
3139	Contact function code	C an..3	R an..3	+IC	<b>Code: IC            Information contact</b>
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	X	+	
3412	Department or employee	C an..35	C an..35	: Ansprechpa rtner'	Carrier's text 1/2

**Comments**

**Code values:**

CTA+IC+:Ansprechpartner'



### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 52 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Telefon - TE**  
**Communication contact - Telephone - TE**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Telefon - TE Communication contact - Telephone - TE	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+03089010 222	
3155	Communication number code qualifier	M an..3	M an..3	:TE'	<b>Code: TE Telephone</b>

#### Comments

#### Code values:

COM+03089010222:TE'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 53 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Fax - FX**  
**Communication contact - Fax - FX**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Fax - FX Communication contact - Fax - FX	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+03089010100	FAX No
3155	Communication number code qualifier	M an..3	M an..3	:FX'	<b>Code: FX</b> <b>Telefax</b>

#### Comments

#### Code values:

COM+03089010100:FX'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: C	Max. Occ.: 1	NAD-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>COM</b>	<b>cons. No: 54</b> Status: C	Level 3 Max. Occ.: 1	<b>Communication contact</b>

**Description**      **COM\_01**  
**Kommunikationsverbindung - Email - EM**  
**Communication contact - Email - EM**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Email - EM Communication contact - Email - EM	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+franz. alt@spedition_fritz.de	email address
3155	Communication number code qualifier	M an..3	M an..3	:EM'	<b>Code: EM      Electronic mail</b>

#### Comments

#### Code values:

COM+franz.alt@spedition\_fritz.de:EM'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Segment:** **NAD** cons. No: 55 Level 1 Name and address  
 Status: M Max. Occ.: 1

**Description** NAD\_01  
 SF Warenversender  
 SF Ship from

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
NAD	NAD_01 SF Warenversender SF Ship from	M	M	NAD	
3035	Party function code qualifier	M an..3	M an..3	+SF	<b>Code: SF Ship from</b>
C082	Party identification details	C	C		
3039	Party identifier	M an..35	M an..35	+075123	Ship from number
C058	Name and address	C	X		
3124	Name and address line	M an..35	X	+	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Fa. XYZ	Ship from party's name
3036	Party name	C an..35	C an..35	:NZeile_2	
3036	Party name	C an..35	C an..35	:NZeile_3	
3036	Party name	C an..35	C an..35	:NZeile_4	
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Kurfuerste nstr. 234	
3164	City name	C an..35	R an..35	+Berlin	
C819	Country sub-entity details	C	X		
3229	Country sub-entity name code	C an..9	X	+	
3251	Postal identification code	C an..17	C an..17	+12109	
3207	Country name code	C an..3	C an..3	+DE'	Country codes  <b>Code: DE GERMANY</b> <b>Code: BE BELGIUM</b> <b>Code: ES SPAIN</b> <b>Code: FR FRANCE</b> <b>Code: GB UNITED KINGDOM</b> <b>Code: IT ITALY</b> <b>Code: NL NETHERLANDS</b> <b>Code: PT PORTUGAL</b> <b>Code: US UNITED STATES</b> Other codes according to ISO 3166

### Formal description of segments

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark

**Comments**

*Segment is being used if ship-from number is not equal supplier number.*

**Code values:**

NAD+SF+075123++Fa. XYZ:NZeile\_2:NZeile\_3:NZeile\_4+Kurfuerstenstr. 234+Berlin++12109+DE'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: C	Max. Occ.: 1	NAD-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>CTA</b>	<b>cons. No: 56</b> Status: M	Level 2 Max. Occ.: 1	<b>Contact information</b>

**Description**      **CTA\_01**  
**Ansprechpartner - Informationskontakt - IC**  
**Contact person - Information contact - IC**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
CTA	CTA_01 Ansprechpartner - Informationskontakt - IC Contact person - Information contact - IC	M	M	CTA	
3139	Contact function code	C an..3	R an..3	+IC	<b>Code: IC            Information contact</b>
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	X	+	
3412	Department or employee	C an..35	C an..35	:Alt'	Name of contact person

**Comments**

**Code values:**  
CTA+IC+:Alt'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 57 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Telefon - TE**  
**Communication contact - Telephone - TE**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Telefon - TE Communication contact - Telephone - TE	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+03089010 222	
3155	Communication number code qualifier	M an..3	M an..3	:TE'	<b>Code: TE Telephone</b>

#### Comments

**Code values:**  
 COM+03089010222:TE'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 58 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Fax - FX**  
**Communication contact - Fax - FX**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Fax - FX Communication contact - Fax - FX	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+03089010100	FAX No
3155	Communication number code qualifier	M an..3	M an..3	:FX'	<b>Code: FX</b> <b>Telefax</b>

#### Comments

#### Code values:

COM+03089010100:FX'



### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5  
**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM  
**Segment:** **COM** cons. No: 59 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1  
**Description** **COM\_01**  
**Kommunikationsverbindung - Email - EM**  
**Communication contact - Email - EM**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Email - EM Communication contact - Email - EM	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+franz. alt@spedition_fritz.de	email address
3155	Communication number code qualifier	M an..3	M an..3	:EM'	<b>Code: EM</b> <b>Electronic mail</b>

#### Comments

#### Code values:

COM+franz.alt@spedition\_fritz.de:EM'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Segment:** **NAD** cons. No: 60 Level 1 Name and address  
 Status: M Max. Occ.: 1

**Description** **NAD\_01**  
**PR - Payer/Regulierer**  
**PR - Payer**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
NAD	NAD_01 PR - Payer/Regulierer PR - Payer	M	M	NAD	
3035	Party function code qualifier	M an..3	M an..3	+PR	<b>Code: PR Payer</b>
C082	Party identification details	C	C		
3039	Party identifier	M an..35	M an..35	+10033396	
C058	Name and address	C	X		
3124	Name and address line	M an..35	X	+	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Regulierer GmbH	
3036	Party name	C an..35	C	:	
3036	Party name	C an..35	C an..35	:NZeile_3	
3036	Party name	C an..35	C an..35	:NZeile_4	
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Karl- Marx-Str. 125	
3164	City name	C an..35	R an..35	+Berlin	
C819	Country sub-entity details	C	X		
3229	Country sub-entity name code	C an..9	X	+	
3251	Postal identification code	C an..17	C an..17	+12175	
3207	Country name code	C an..3	C an..3	+DE'	Country codes  <b>Code: DE GERMANY</b> <b>Code: BE BELGIUM</b> <b>Code: ES SPAIN</b> <b>Code: FR FRANCE</b> <b>Code: GB UNITED KINGDOM</b> <b>Code: IT ITALY</b> <b>Code: NL NETHERLANDS</b> <b>Code: PT PORTUGAL</b>

### Formal description of segments

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
					<b>Code: US      UNITED STATES</b> Other codes according to ISO 3166

#### Comments

#### Code values:

NAD+PR+10033396++Regulierer GmbH::NZeile\_3:NZeile\_4+Karl-Marx-Str. 125+Berlin++12175+DE'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: C	Max. Occ.: 1	NAD-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>CTA</b>	<b>cons. No: 61</b> Status: M	Level 2 Max. Occ.: 1	<b>Contact information</b>

**Description**      **CTA\_01**  
**Abteilung - Rechnungskontakt - AD**  
**Department - Accounting contact - AD**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
CTA	CTA_01 Abteilung - Rechnungskontakt - AD Department - Accounting contact - AD	M	M	CTA	
3139	Contact function code	C an..3	R an..3	+AD	<b>Code: AD      Accounting contact</b>
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	X	+	
3412	Department or employee	C an..35	C an..35	:Schmidt'	Department

**Comments**

**Code values:**  
CTA+AD+:Schmidt'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 62 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Telefon - TE**  
**Communication contact - Telephone - TE**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Telefon - TE Communication contact - Telephone - TE	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+03089034567	
3155	Communication number code qualifier	M an..3	M an..3	:TE'	<b>Code: TE Telephone</b>

#### Comments

#### Code values:

COM+03089034567:TE'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 63 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Fax - FX**  
**Communication contact - Fax - FX**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Fax - FX Communication contact - Fax - FX	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+03089034100	FAX No
3155	Communication number code qualifier	M an..3	M an..3	:FX'	<b>Code: FX</b> <b>Telefax</b>

#### Comments

**Code values:**  
 COM+03089034100:FX'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: C	Max. Occ.: 1	NAD-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>COM</b>	<b>cons. No: 64</b> Status: C	Level 3 Max. Occ.: 1	<b>Communication contact</b>

**Description**      **COM\_01**  
**Kommunikationsverbindung - Email - EM**  
**Communication contact - Email - EM**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Email - EM Communication contact - Email - EM	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+gerhard.kohl@transport_gmbh.de	email address
3155	Communication number code qualifier	M an..3	M an..3	:EM'	<b>Code: EM      Electronic mail</b>

**Comments**

**Code values:**

COM+gerhard.kohl@transport\_gmbh.de:EM'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Segment:** **NAD** cons. No: 65 Level 1 Name and address  
 Status: M Max. Occ.: 1

**Description** NAD\_01  
 PE - Payee/Zahlungsempfänger  
 PE - Payee

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
NAD	NAD_01 PE - Payee/ Zahlungsempfänger PE - Payee	M	M	NAD	
3035	Party function code qualifier	M an..3	M an..3	+PE	<b>Code: PE</b> <b>Payee</b>
C082	Party identification details	C	C		
3039	Party identifier	M an..35	M an..35	+8456388	
C058	Name and address	C	X		
3124	Name and address line	M an..35	X	+	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Zahlungse mpfänger GmbH	
3036	Party name	C an..35	C an..35	:Name	
3036	Party name	C an..35	C an..35	:NZeile_3	
3036	Party name	C an..35	C an..35	:NZeile_4	
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Karl- Marx-Str. 125	
3164	City name	C an..35	R an..35	+Berlin	
C819	Country sub-entity details	C	X		
3229	Country sub-entity name code	C an..9	X	+	
3251	Postal identification code	C an..17	C an..17	+12175	
3207	Country name code	C an..3	C an..3	+DE'	Country codes  <b>Code: DE</b> <b>GERMANY</b> <b>Code: BE</b> <b>BELGIUM</b> <b>Code: ES</b> <b>SPAIN</b> <b>Code: FR</b> <b>FRANCE</b> <b>Code: GB</b> <b>UNITED KINGDOM</b> <b>Code: IT</b> <b>ITALY</b>



### Formal description of segments

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
					Code: NL      NETHERLANDS Code: PT      PORTUGAL Code: US      UNITED STATES Other codes according to ISO 3166

#### Comments

#### Code values:

NAD+PE+8456388++Zahlungsempfänger GmbH:Name:NZeile\_3:NZeile\_4+Karl-Marx-Str. 125+Berlin++12175+DE'

### Formal description of segments

<b>Group:</b>	<b>SG2</b>	Status: C	Max. Occ.: 1	NAD-SG5
<b>Group:</b>	<b>SG5</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>CTA</b>	<b>cons. No: 66</b> Status: M	Level 2 Max. Occ.: 1	<b>Contact information</b>

**Description**      **CTA\_01**  
**Abteilung - Rechnungskontakt - AD**  
**Department - Accounting contact - AD**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
CTA	CTA_01 Abteilung - Rechnungskontakt - AD Department - Accounting contact - AD	M	M	CTA	
3139	Contact function code	C an..3	R an..3	+AD	<b>Code: AD      Accounting contact</b>
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	X	+	
3412	Department or employee	C an..35	C an..35	:'Schmidt'	Department

**Comments**

**Code values:**  
CTA+AD+:'Schmidt'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 67 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Telefon - TE**  
**Communication contact - Telephone - TE**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Kommunikationsverbindung - Telefon - TE Communication contact - Telephone - TE	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+03089034567	
3155	Communication number code qualifier	M an..3	M an..3	:TE'	<b>Code: TE Telephone</b>

#### Comments

**Code values:**  
 COM+03089034567:TE'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** cons. No: 68 Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Kommunikationsverbindung - Fax - FX**  
**Communication contact - Fax - FX**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Communication contact - Fax - FX	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+03089034 100	FAX No
3155	Communication number code qualifier	M an..3	M an..3	:FX'	<b>Code: FX</b> <b>Telefax</b>

**Comments**

**Code values:**  
 COM+03089034100:FX'

### Formal description of segments

**Group:** **SG2** Status: C Max. Occ.: 1 NAD-SG5

**Group:** **SG5** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** **cons. No: 69** Level 3 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_01**  
**Communication contact - Email - EM**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_01 Communication contact - Email - EM	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+gerhard. kohl@trans port_gmbh. de	email address
3155	Communication number code qualifier	M an..3	M an..3	:EM'	<b>Code: EM</b> <b>Electronic mail</b>

#### Comments

#### Code values:

COM+gerhard.kohl@transport\_gmbh.de:EM'

## Formal description of segments

Group: **SG6** Status: C Max. Occ.: 5 TAX

Segment: **TAX** cons. No: 70 Level 1 Duty/tax/fee details  
 Status: M Max. Occ.: 1

Description **TAX**  
 Value Added Tax

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
TAX	TAX Value Added Tax	M	M	TAX	
5283	Duty/tax/fee function qualifier	M an..3	M an..3	+7	<b>Code: 7 Tax</b>
C241	Duty/tax/fee type	C	C		
5153	Duty/tax/fee type name code	C an..3	C an..3	+VAT	<b>Code: VAT Value added tax</b>
C533	Duty/tax/fee account detail	C	X		
5289	Duty/tax/fee account identification	M an..6	X	+	
5286	Duty/tax/fee assessment basis	C an..15	X	+	
C243	Duty/tax/fee detail	C	C		
5279	Duty/tax/fee rate identification	C an..7	C	+	
1131	Code list identification code	C an..3	C	:	
3055	Code list responsible agency code	C an..3	C	:	
5278	Duty/tax/fee rate	C an..17	C an..17	:16'	

**Comments**

**Code values:**

TAX+7+VAT+++:::16'

### Formal description of segments

**Group:** **SG7** Status: R Max. Occ.: 2 CUX

**Segment:** **CUX** cons. No: 71 Level 1 Currencies  
 Status: M Max. Occ.: 1

**Description** CUX\_01  
 Currencies

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
CUX	CUX_01 Currencies	M	M	CUX	
C504	Currency details	C	R		
6347	Currency details qualifier	M an..3	M an..3	+2	<b>Code: 2</b> <b>Reference currency</b>
6345	Currency identification code	C an..3	R an..3	:EUR	<b>Code: EUR</b> <b>Euro</b> <b>Code: GBP</b> <b>Pound Sterling</b> <b>Code: USD</b> <b>US Dollar</b> Other codes according to ISO 4217
6343	Currency qualifier	C an..3	R an..3	:3'	<b>Code: 3</b> <b>Home currency</b>

**Comments**

**Code values:**  
 CUX+2:EUR:3'

### Formal description of segments

**Group:** **SG7** Status: C Max. Occ.: 2 CUX

**Segment:** **CUX** cons. No: 72 Level 1 Currencies  
 Status: M Max. Occ.: 1

**Description** CUX\_01  
 Currencies

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
CUX	CUX_01 Currencies	M	M	CUX	
C504	Currency details	C	R		
6347	Currency details qualifier	M an..3	M an..3	+2	<b>Code: 2</b> <b>Reference currency</b>
6345	Currency identification code	C an..3	R an..3	:EUR	<b>Code: EUR</b> <b>Euro</b> <b>Code: GBP</b> <b>Pound Sterling</b> <b>Code: USD</b> <b>US Dollar</b> Other codes according to ISO 4217
6343	Currency qualifier	C an..3	R an..3	:9	<b>Code: 9</b> <b>Order currency</b>
6348	Currency rate base	C n..4	R n..4	:1'	

**Comments**

**Code values:**  
 CUX+2:EUR:9:1'



### Formal description of segments

**Group:** **SG8** Status: R Max. Occ.: 3 PAT

**Segment:** **PAT** cons. No: 73 Level 1 **Payment terms basis**  
 Status: M Max. Occ.: 1

**Description** **PAT\_01**  
**Terms of payment**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
PAT	PAT_01 Terms of payment	M	M	PAT	
4279	Payment terms type code qualifier	M an..3	M an..3	+1	<b>Code: 1 Basic</b>
C110	Payment terms	C	C		
4277	Payment terms description identifier	M an..17	M an..17	+AGREE	<b>Code: AGREE Payment by agreement</b>
1131	Code list identification code	C an..3	C	:	
3055	Code list responsible agency code	C an..3	C	:	
4276	Payment terms description	C an..35	C an..35	:Zahlung 30 Tage netto	
4276	Payment terms description	C an..35	C an..35	:Text'	

#### Comments

#### Code values:

PAT+1+AGREE:::Zahlung 30 Tage netto:Text'

### Formal description of segments

**Group:** **SG8** Status: C Max. Occ.: 3 PAT

**Segment:** **PAT** cons. No: 74 Level 1 **Payment terms basis**  
 Status: M Max. Occ.: 1

**Description** **PAT\_01**  
**Terms of payment**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	StFormat WebEDI	Example	Remark
PAT	PAT_01 Terms of payment	M	M	PAT	
4279	Payment terms type code qualifier	M an..3	M an..3	+1	<b>Code: 1 Basic</b>
C110	Payment terms	C	C		
4277	Payment terms description identifier	M an..17	M an..17	+AGREE	<b>Code: AGREE Payment by agreement</b>
1131	Code list identification code	C an..3	C	:	
3055	Code list responsible agency code	C an..3	C	:	
4276	Payment terms description	C an..35	C an..35	:Zahlung 20 Tage mit 1% Skonto	
4276	Payment terms description	C an..35	C an..35	:Text'	

#### Comments

#### Code values:

PAT+1+AGREE:::Zahlung 20 Tage mit 1% Skonto:Text'

### Formal description of segments

Group: **SG8** Status: C Max. Occ.: 3 PAT

Segment: **PAT** cons. No: 75 Level 1 Payment terms basis  
 Status: M Max. Occ.: 1

Description **PAT\_01**  
 Terms of payment

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
PAT	PAT_01 Terms of payment	M	M	PAT	
4279	Payment terms type code qualifier	M an..3	M an..3	+1	<b>Code: 1 Basic</b>
C110	Payment terms	C	C		
4277	Payment terms description identifier	M an..17	M an..17	+AGREE	<b>Code: AGREE Payment by agreement</b>
1131	Code list identification code	C an..3	C	:	
3055	Code list responsible agency code	C an..3	C	:	
4276	Payment terms description	C an..35	C an..35	:Zahlung 10 Tage mit 2% Skonto	
4276	Payment terms description	C an..35	C an..35	:Text'	

#### Comments

#### Code values:

PAT+1+AGREE:::Zahlung 10 Tage mit 2% Skonto:Text'

### Formal description of segments

**Group:** **SG12** Status: R Max. Occ.: 3 TOD

**Segment:** **TOD** cons. No: 76 Level 1 **Terms of delivery or transport**  
 Status: M Max. Occ.: 1

**Description** **TOD\_01**  
**Terms of delivery**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
TOD	TOD_01 Terms of delivery	M	M	TOD	
4055	Terms of delivery or transport function, coded	C an..3	C an..3	+6	<b>Code: 6</b> <b>Delivery condition</b>
4215	Transport charges payment method code	C an..3	C	+	
C100	Terms of delivery or transport	C	C		
4053	Delivery or transport terms description code	C an..3	C an..3	+ZZZ	<b>Code: ZZZ</b> <b>as agreed</b>
1131	Code list identification code	C an..3	C	:	
3055	Code list responsible agency code	C an..3	C	:	
4052	Delivery or transport terms description	C an..70	C an..70	:Text_1	
4052	Delivery or transport terms description	C an..70	C an..70	:Text_2'	

#### Comments

#### Code values:

TOD+6++ZZZ:::Text\_1:Text\_2'

### Formal description of segments

**Group:** **SG12** Status: C Max. Occ.: 3 TOD

**Segment:** **TOD** cons. No: 77 Level 1 Terms of delivery or transport  
 Status: M Max. Occ.: 1

**Description** **TOD\_01**  
**Liefer- oder Transportbedingungen**  
**Terms of delivery**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
TOD	TOD_01 Liefer- oder Transportbedingungen Terms of delivery	M	M	TOD	
4055	Terms of delivery or transport function, coded	C an..3	C an..3	+6	<b>Code: 6</b> <b>Delivery condition</b>
4215	Transport charges payment method code	C an..3	C	+	
C100	Terms of delivery or transport	C	C		
4053	Delivery or transport terms description code	C an..3	C an..3	+ZZZ	<b>Code: ZZZ</b> <b>as agreed</b>
1131	Code list identification code	C an..3	C	:	
3055	Code list responsible agency code	C an..3	C	:	
4052	Delivery or transport terms description	C an..70	C an..70	:Text_1	
4052	Delivery or transport terms description	C an..70	C an..70	:Text_2'	

**Comments**

**Code values:**

TOD+6++ZZZ:::Text\_1:Text\_2'

### Formal description of segments

**Group:** **SG12** Status: C Max. Occ.: 3 TOD

**Segment:** **TOD** cons. No: 78 Level 1 Terms of delivery or transport  
 Status: M Max. Occ.: 1

**Description** **TOD\_01**  
**Liefer- oder Transportbedingungen**  
**Terms of delivery**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
TOD	TOD_01 Liefer- oder Transportbedingungen Terms of delivery	M	M	TOD	
4055	Terms of delivery or transport function, coded	C an..3	C an..3	+6	<b>Code: 6</b> <b>Delivery condition</b>
4215	Transport charges payment method code	C an..3	C	+	
C100	Terms of delivery or transport	C	C		
4053	Delivery or transport terms description code	C an..3	C an..3	+ZZZ	<b>Code: ZZZ</b> <b>Mutually defined</b>
1131	Code list identification code	C an..3	C	:	
3055	Code list responsible agency code	C an..3	C	:	
4052	Delivery or transport terms description	C an..70	C an..70	:Text_1	
4052	Delivery or transport terms description	C an..70	C an..70	:Text_2'	

**Comments**

**Code values:**

TOD+6++ZZZ:::Text\_1:Text\_2'

### Formal description of segments

**Group:** **SG19** Status: R Max. Occ.: 1 ALC-SG21

**Segment:** **ALC** cons. No: 79 Level 1 Allowance or charge  
 Status: C Max. Occ.: 1

**Description** ALC\_01  
 Zu- oder Abschlag  
 Allowance or charge

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
ALC	ALC_01 Zu- oder Abschlag Allowance or charge	C	C	ALC	
5463	Allowance or charge qualifier	M an..3	M an..3	+A	<b>Code: A</b> <b>Charge</b> <b>Code: C</b> <b>Allowance</b>
C552	Allowance/charge information	C	C		
1230	Allowance or charge number	C an..35	C an..35	+ZZZ'	Order discount

**Comments**

**Code values:**  
 ALC+A+ZZZ'

### Formal description of segments

**Group:** **SG19** Status: R Max. Occ.: 1 ALC-SG21

**Group:** **SG21** Status: R Max. Occ.: 1 PCD

**Segment:** **PCD** **cons. No: 80** Level 2 **Percentage details**  
 Status: M Max. Occ.: 1

**Description** PCD\_03  
 Prozentangaben  
 Percentage details

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
PCD	PCD_03 Prozentangaben Percentage details	M	M	PCD	
C501	Percentage details	M	M		
5245	Percentage type code qualifier	M an..3	M an..3	+1	<b>Code: 1</b> <b>Code: 2</b> <b>Charge Allowance</b>
5482	Percentage	C n..10	C n..10	:9	
5249	Percentage basis identification code	C an..3	C an..3	:1'	<b>Code: 1</b> <b>Per order</b>

**Comments**

*Percentage details*

**Code values:**

PCD+1:9:1'



### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **LIN** cons. No: 81 Level 1 **Line item**  
 Status: M Max. Occ.: 1

**Description** **LIN**  
**Positionsdaten**  
**Line item**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
LIN	LIN Positionsdaten Line item	M	M	LIN	
1082	Line item number	C an..6	R an..6	+10	
1229	Action request/notification description code	C an..3	R an..3	+1	<b>Code: 1</b> <b>Code: 3</b> <b>Added</b> <b>Changed</b>
C212	Item number identification	C	R		
7140	Item number	C an..35	R an..35	+10129880 8	Item number
7143	Item type identification code	C an..3	C an..3	:IN	<b>Code: IN</b> <b>Buyer's item number</b>
C829	Sub-line information	C	C		
5495	Sub-line indicator, coded	C an..3	C	+	
1222	Configuration level	C n..2	C n..2	+1'	<b>Code: 1</b> <b>Code: 2</b> <b>Code: 3</b> <b>Code: 4</b> <b>Code: 5</b> <b>Code: 6</b> <b>purchased item</b> <b>production item</b> <b>generic item</b> <b>cost item</b> <b>Service</b> <b>external processing</b>

#### Comments

#### Code values:

LIN+10+1+101298808:IN++1'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **PIA** cons. No: 82 Level 2 Additional product id  
 Status: C Max. Occ.: 1

**Description** **PIA**  
 Product version number  
 Product version number

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
PIA	PIA Product version number Product version number	C	C	PIA	
4347	Product id. function qualifier	M an..3	M an..3	+1	<b>Code: 1 Additional identification</b>
C212	Item number identification	M	M		
7140	Item number	C an..35	C an..35	+11223344 55	Drawing number
7143	Item type identification code	C an..3	C an..3	:DW	<b>Code: DW Drawing</b>
C212	Item number identification	C	C		
7140	Item number	C an..35	C an..35	+3	Revision number
7143	Item type identification code	C an..3	C an..3	:EC	<b>Code: EC Engineering change level</b>
C212	Item number identification	C	C		
7140	Item number	C an..35	C an..35	+001	Drawing revision number
7143	Item type identification code	C an..3	C an..3	:DR'	<b>Code: DR Drawing revision number</b>

**Comments**

**Code values:**

PIA+1+1122334455:DW+3:EC+001:DR'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **IMD** cons. No: 83 Level 2 **Item description**  
 Status: C Max. Occ.: 1

**Description** **IMD\_02**  
**Artikeldaten Kunde**  
**Buyer's item description**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
IMD	IMD_02 Artikeldaten Kunde Buyer's item description	C	C	IMD	
7077	Item description type, coded	C an..3	R an..3	+A	<b>Code: A</b> <b>Item description long text</b>
C272	Item characteristic	C	X		
7081	Item characteristic code	C an..3	X	+	
C273	Item description	C	C		
7009	Item description identification	C an..17	R an..17	+BP	<b>Code: BP</b> <b>Buyer's part description</b>
1131	Code list identification code	C an..3	X	:	
3055	Code list responsible agency code	C an..3	X	:	
7008	Item description	C an..256	R an..70	: SCHRAUB E (dscx)	Buyer's article description
7008	Item description	C an..256	C an..70	: SECHSKAN T V2A'	Buyer's additional information on article

#### Comments

#### Code values:

IMD+A++BP:::SCHRAUBE (dscx):SECHSKANT V2A'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **IMD** cons. No: 84 Level 2 **Item description**  
 Status: C Max. Occ.: 1

**Description** **IMD\_02**  
**Artikeldaten Lieferant**  
**Supplier's item description**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
IMD	IMD_02 Artikeldaten Lieferant Supplier's item description	C	C	IMD	
7077	Item description type, coded	C an..3	R an..3	+B	<b>Code: B</b> <b>Artikelnummer und Artikeltext</b>
C272	Item characteristic	C	X		
7081	Item characteristic code	C an..3	X	+	
C273	Item description	C	C		
7009	Item description identification	C an..17	R an..17	+SA	<b>Code: SA</b> <b>Supplier's article description</b>
1131	Code list identification code	C an..3	X	:	
3055	Code list responsible agency code	C an..3	X	:	
7008	Item description	C an..256	C an..70	:ABC 987	Supplier's article number
7008	Item description	C an..256	C an..70	:Sportsitz M100'	Supplier's article description

#### Comments

#### Code values:

IMD+B++SA:::ABC 987:Sportsitz M100'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **IMD** cons. No: 85 Level 2 **Item description**  
 Status: C Max. Occ.: 1

**Description** **IMD\_02**  
**Artikeldaten Hersteller**  
**Manufacturer's Item description**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
IMD	IMD_02 Artikeldaten Hersteller Manufacturer's Item description	C	C	IMD	
7077	Item description type, coded	C an..3	R an..3	+B	<b>Code: B</b> <b>Item number and Item description</b>
C272	Item characteristic	C	X		
7081	Item characteristic code	C an..3	X	+	
C273	Item description	C	C		
7009	Item description identification	C an..17	R an..17	+MF	<b>Code: MF</b> <b>Manufacturer's article description</b>
1131	Code list identification code	C an..3	X	:	
3055	Code list responsible agency code	C an..3	X	:	
7008	Item description	C an..256	C an..70	:XYZ 765	Manufacturer's article code
7008	Item description	C an..256	C an..70	:Sportsitz M100'	Manufacturer's article text

#### Comments

#### Code values:

IMD+B++MF:::XYZ 765:Sportsitz M100'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **MEA** cons. No: 86 Level 2 **Measurements**  
 Status: C Max. Occ.: 1

**Description** **MEA\_03**  
**Gesamtgewicht**  
**Total weight**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
MEA	MEA_03 Gesamtgewicht Total weight	C	C	MEA	
6311	Measurement attribute code	M an..3	M an..3	+AAI	<b>Code: AAI</b> <b>Total weight</b>
C502	Measurement details	C	C		
6313	Measured attribute code	C an..3	C an..3	+AAC	<b>Code: AAC</b> <b>Net weight</b>
C174	Value/range	C	C		
6411	Measurement unit code	M an..3	M an..3	+TNE	<b>Code: TNE</b> <b>tonne (metric ton)</b>
6314	Measurement value	C an..18	C an..18	:10'	

#### Comments

**Code values:**  
 MEA+AAI+AAC+TNE:10'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **QTY** cons. No: 87 Level 2 **Quantity**  
 Status: R Max. Occ.: 1

**Description** **QTY\_03**  
**Bestellmenge**  
**Quantity ordered**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
QTY	QTY_03 Bestellmenge Quantity ordered	R	R	QTY	
C186	Quantity details	M	M		
6063	Quantity type code qualifier	M an..3	M an..3	+21	<b>Code: 21</b> Ordered quantity <b>Code: 73</b> Outstanding quantity
6060	Quantity	M an..35	M n..15	:100	Quantity ordered
6411	Measurement unit code	C an..3	R an..3	:EA'	<b>Code: EA</b> each <b>Code: MTR</b> metre <b>Code: MTK</b> square metre <b>Code: MTQ</b> cubic metre <b>Code: LTR</b> litre <b>Code: TNE</b> tonne (metric ton) <b>Code: KGM</b> kilogram <b>Code: KTM</b> kilometre <b>Code: GRM</b> gram <b>Code: MMT</b> millimetre <b>Code: SET</b> set <b>Code: PR</b> pair <b>Code: DAY</b> day <b>Code: HUR</b> hour <b>Code: PCE</b> piece <b>Code: CNP</b> hundred pack  Other codes according to UN/ECE- Empfehlung Nr. 20

#### Comments

**Code values:**  
 QTY+21:100:EA'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **QTY** cons. No: 88 Level 2 **Quantity**  
 Status: C Max. Occ.: 1

**Description** **QTY\_03**  
 Ursprüngliche Bestellmenge  
 Previous quantity ordered

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
QTY	QTY_03 Ursprüngliche Bestellmenge Previous quantity ordered	C	C	QTY	
C186	Quantity details	M	M		
6063	Quantity type code qualifier	M an..3	M an..3	+18	<b>Code: 18</b> Previous quantity
6060	Quantity	M an..35	M n..15	:50	Previous quantity ordered
6411	Measurement unit code	C an..3	R an..3	:EA'	<b>Code: EA</b> each <b>Code: MTR</b> metre <b>Code: MTK</b> square metre <b>Code: MTQ</b> cubic metre <b>Code: LTR</b> litre <b>Code: TNE</b> tonne (metric ton) <b>Code: KGM</b> kilogram <b>Code: KTM</b> kilometre <b>Code: GRM</b> gram <b>Code: MMT</b> millimetre <b>Code: SET</b> set <b>Code: PR</b> pair <b>Code: DAY</b> day <b>Code: HUR</b> hour <b>Code: PCE</b> piece <b>Code: CNP</b> hundred pack  Other codes according to UN/ECE- Empfehlung Nr. 20

**Comments**  
 Transmitted in ORDCHG message only

**Code values:**  
 QTY+18:50:EA'



### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **ALI** cons. No: 89 Level 2 **Additional information**  
 Status: C Max. Occ.: 1

**Description** **ALI\_03**  
**Zusätzliche Angaben**  
**Additional information**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
ALI	ALI_03 Zusätzliche Angaben Additional information	C	C	ALI	
3239	Country of origin, coded	C an..3	C an..3	+DE'	<b>Code: DE GERMANY</b> Country of origin Other codes according to ISO 3166

**Comments**

**Code values:**  
 ALI+DE'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **DTM** cons. No: 90 Level 2 Date/time/period  
 Status: C Max. Occ.: 1

**Description** **DTM\_13**  
 Ursprüngliches Lieferdatum  
 Previous delivery date

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
DTM	DTM_13 Ursprüngliches Lieferdatum Previous delivery date	C	C	DTM	
C507	Date/time/period	M	M		
2005	Date/time/period function code qualifier	M an..3	M an..3	+727	<b>Code: 727</b> <b>Placement date, previous</b>
2380	Date/time/period value	C an..35	C an..35	: 200508230 000	
2379	Date/time/period format code	C an..3	C an..3	:203'	<b>Code: 203</b> <b>CCYYMMDDHHMM</b>

**Comments**  
 Transmitted in **ORDCHG** message only.

**Code values:**  
 DTM+727:200508230000:203'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **MOA** cons. No: 91 Level 2 Monetary amount  
 Status: R Max. Occ.: 1

**Description** **MOA\_05**  
 Wert der Position  
 Line item amount

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
MOA	MOA_05 Wert der Position Line item amount	R	R	MOA	
C516	Monetary amount	M	M		
5025	Monetary amount type code qualifier	M an..3	M an..3	+203	<b>Code: 203</b> <b>Line item amount</b>
5004	Monetary amount value	C n..35	R n..18	:4400'	Amount exclusive of VAT (net amount)

**Comments**

**Code values:**  
 MOA+203:4400'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **MOA** cons. No: 92 Level 2 Monetary amount  
Status: C Max. Occ.: 1

**Description** **MOA\_05**  
**Umsatzsteuerbetrag**  
**Tax amount**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
MOA	MOA_05 Umsatzsteuerbetrag Tax amount	C	C	MOA	
C516	Monetary amount	M	M		
5025	Monetary amount type code qualifier	M an..3	M an..3	+124	<b>Code: 124 Tax amount</b>
5004	Monetary amount value	C n..35	R n..18	:704'	Amount exclusive of VAT (net amount)

#### Comments

#### Code values:

MOA+124:704'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **GIR** cons. No: 93 Level 2 **Related identification numbers**  
 Status: C Max. Occ.: 1

**Description** **GIR\_03**  
**Identifikation**  
**Related identification**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
GIR	GIR_03 Identifikation Related identification	C	C	GIR	
7297	Set identification qualifier	M an..3	M an..3	+3	<b>Code: 3</b> <b>Batch selection</b>
C206	Identification number	M	M		
7402	Object identifier	M an..35	M an..35	+10	Batch number
7405	Object identification code qualifier	C an..3	C an..3	:BX'	<b>Code: BX</b> <b>Batch number</b> All parts from a unique batch. <b>Code: ZZZ</b> <b>Batch number given by</b> <b>Liebherr</b> All parts from the given batch number.

**Comments**

**Code values:**  
 GIR+3+10:BX'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **FTX** cons. No: 94 Level 2 **Free text**  
 Status: C Max. Occ.: 1

**Description** **FTX\_06**  
 Text zu Lieferanten - Erklärung  
 Supplier declaration

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_06 Text zu Lieferanten - Erklärung Supplier declaration	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+ZZZ	<b>Code: ZZZ      Supplier Agreement</b>
4453	Text function, coded	C an..3	X	+	
C107	Text reference	C	X		
4441	Free text value code	M an..17	X	+	
C108	Text literal	C	R		
4440	Free text value	M an..512	M an..70	+Text	Supplier declaration
4440	Free text value	C an..512	C an..70	:Text	Supplier declaration
4440	Free text value	C an..512	C an..70	:Text'	Supplier declaration

#### Comments

#### Code values:

FTX+ZZZ+++Text:Text:Text'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **FTX** cons. No: 95 Level 2 **Free text**  
 Status: C Max. Occ.: 1

**Description** **FTX\_06**  
 Liefervorschrift allg.  
 Handling instructions

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_06 Liefervorschrift allg. Handling instructions	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+HAN	<b>Code: HAN Handling instructions</b>
4453	Text function, coded	C an..3	X	+	
C107	Text reference	C	X		
4441	Free text value code	M an..17	X	+	
C108	Text literal	C	R		
4440	Free text value	M an..512	M an..70	+Text'	Handling instructions

#### Comments

**Code values:**  
 FTX+HAN+++Text'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **FTX** cons. No: 96 Level 2 **Free text**  
 Status: C Max. Occ.: 1

**Description** **FTX\_06**  
**Spezifikation Artikel**  
**Article specification**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_06 Spezifikation Artikel Article specification	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+QQD	<b>Code: QQD</b> <b>Quality demands/ requirements</b>
4453	Text function, coded	C an..3	X	+	
C107	Text reference	C	X		
4441	Free text value code	M an..17	X	+	
C108	Text literal	C	R		
4440	Free text value	M an..512	M an..70	+Text'	Article specification

**Comments**

**Code values:**  
 FTX+QQD+++Text'



### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **FTX** cons. No: 97 Level 2 **Free text**  
 Status: C Max. Occ.: 1

**Description** **FTX\_06**  
 Text zum Artikel  
 Buyer's article description

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_06 Text zum Artikel Buyer's article description	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+AAI	<b>Code: AAI</b> <b>General information</b> Article related text
4453	Text function, coded	C an..3	X	+	
C107	Text reference	C	C		
4441	Free text value code	M an..17	M	+	
C108	Text literal	C	C		
4440	Free text value	M an..512	M an..70	+100	
4440	Free text value	C an..512	C an..70	:Text	
4440	Free text value	C an..512	C an..70	:Text	
4440	Free text value	C an..512	C an..70	:Text'	

#### Comments

#### Code values:

FTX+AAI+++100:Text:Text:Text'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **FTX** cons. No: 98 Level 2 **Free text**  
 Status: C Max. Occ.: 1

**Description** **FTX\_06**  
**Bestätigungspflicht**  
**Confirmation obligation**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_06 Bestätigungspflicht Confirmation obligation	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+AAI	<b>Code: AAI</b> <b>General information</b>
4453	Text function, coded	C an..3	X	+	
C107	Text reference	C	C		
4441	Free text value code	M an..17	M an..17	+ACKNOWLEDGE	
C108	Text literal	C	C		
4440	Free text value	M an..512	M an..1	+X'	Order confirmation required

**Comments**

**Code values:**

FTX+AAI++ACKNOWLEDGE+X'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Segment:** **FTX** cons. No: 99 Level 2 **Free text**  
 Status: C Max. Occ.: 2

**Description** **FTX\_06**  
**Text zur Bestellposition**  
**Order item related text**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
FTX	FTX_06 Text zur Bestellposition Additional information on article	C	C	FTX	
4451	Text subject code qualifier	M an..3	M an..3	+ACB	<b>Code: ACB Additional information</b>
4453	Text function, coded	C an..3	X	+	
C107	Text reference	C	X		
4441	Free text value code	M an..17	X	+	
C108	Text literal	C	C		
4440	Free text value	M an..512	M an..70	+Text zur Position 10	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text zur Position	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text zur Position	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text zur Position	Free text information
4440	Free text value	C an..512	C an..70	: Fortsetzung Text zur Position'	Free text information

#### Comments

#### Code values:

FTX+ACB+++Text zur Position 10:Fortsetzung Text zur Position:Fortsetzung Text zur Position:Fortsetzung Text zur Position:Fortsetzung Text zur Position'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG32** Status: R Max. Occ.: 1 PRI

**Segment:** **PRI** cons. No: 100 Level 2 **Price details**  
 Status: M Max. Occ.: 1

**Description** PRI\_01  
 Preisangaben  
 Price details

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
PRI	PRI_01 Preisangaben Price details	M	M	PRI	
C509	Price information	C	R		
5125	Price qualifier	M an..3	M an..3	+AAA	<b>Code: AAA</b> <b>Calculation net</b>
5118	Price	C n..15	C n..15	:10	Unit price
5375	Price type, coded	C an..3	X	:	
5387	Price specification code	C an..3	X	:	
5284	Unit price basis	C n..9	C n..9	:10	Unit price basis
6411	Measurement unit code	C an..3	C an..3	:EA'	<b>Code: EA</b> <b>each</b> <b>Code: MTR</b> <b>metre</b> <b>Code: MTK</b> <b>square metre</b> <b>Code: MTQ</b> <b>cubic metre</b> <b>Code: LTR</b> <b>litre</b> <b>Code: TNE</b> <b>tonne (metric ton)</b> <b>Code: KGM</b> <b>kilogram</b> <b>Code: KTM</b> <b>kilometre</b> <b>Code: GRM</b> <b>gram</b> <b>Code: MMT</b> <b>millimetre</b> <b>Code: SET</b> <b>set</b> <b>Code: PR</b> <b>pair</b> <b>Code: DAY</b> <b>day</b> <b>Code: HUR</b> <b>hour</b> <b>Code: PCE</b> <b>piece</b>

#### Comments

**Code values:**  
 PRI+AAA:10:::10:EA'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG33** Status: C Max. Occ.: 1 RFF

**Segment:** **RFF** cons. No: 101 Level 2 **Reference**  
 Status: M Max. Occ.: 1

**Description** RFF\_06  
 Projektdaten  
 Project information

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_06 Projektdaten Project information	M	M	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+AEP	<b>Code: AEP      Project number</b>
1154	Reference identifier	C an..35	C an..35	:123456 Prototyp A390'	Project number and description

#### Comments

#### Code values:

RFF+AEP:123456 Prototyp A390'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG33** Status: C Max. Occ.: 1 RFF

**Segment:** **RFF** cons. No: 102 Level 2 **Reference**  
 Status: M Max. Occ.: 1

**Description** RFF\_06  
 Kontraktdate  
 Contract number

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RFF	RFF_06 Kontraktdate Contract number	M	M	RFF	
C506	Reference	M	M		
1153	Reference function code qualifier	M an..3	M an..3	+BC	<b>Code: BC</b> <b>Buyer's contract number</b>
1154	Reference identifier	C an..35	C an..35	:23199/20'	

#### Comments

**Code values:**  
 RFF+BC:23199/20'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG39** Status: R Max. Occ.: 1 NAD-LOC-SG42

**Segment:** **NAD** cons. No: 103 Level 2 **Name and address**  
 Status: M Max. Occ.: 1

**Description** NAD\_02  
 CN - Consignee/Warenempfänger  
 CN - Consignee

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
NAD	NAD_02 CN - Consignee/ Warenempfänger CN - Consignee	M	M	NAD	
3035	Party function code qualifier	M an..3	M an..3	+CN	<b>Code: CN      Consignee</b>
C082	Party identification details	C	C		
3039	Party identifier	M an..35	M an..35	+LWE	Consignee number
C058	Name and address	C	X		
3124	Name and address line	M an..35	X	+	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Name der Liebherr Gesellschaft t	Unequivocal description of the plant that sends the purchase order, for selection in the WebEDI system.
3036	Party name	C an..35	C an..35	:NZeile_2	
3036	Party name	C an..35	C an..35	:NZeile_3	
3036	Party name	C an..35	C an..35	:NZeile_4	
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Schifferwe g 19	
3164	City name	C an..35	R an..35	+Landshut	
C819	Country sub-entity details	C	X		
3229	Country sub-entity name code	C an..9	X	+	
3251	Postal identification code	C an..17	C an..17	+81400	
3207	Country name code	C an..3	C an..3	+DE'	Country codes  <b>Code: DE      GERMANY</b> <b>Code: BE      BELGIUM</b>

### Formal description of segments

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
					Code: ES      SPAIN Code: FR      FRANCE Code: GB      UNITED KINGDOM Code: IT      ITALY Code: NL      NETHERLANDS Code: PT      PORTUGAL Code: US      UNITED STATES Other codes according to ISO 3166

#### Comments

##### Code values:

NAD+CN+LWE++Name der Liebherr Gesellschaft:NZeile\_2:NZeile\_3:NZeile\_4+Schifferweg 19+Landshut++81400+DE'



### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG39** Status: R Max. Occ.: 1 NAD-LOC-SG42

**Segment:** **LOC** cons. No: 104 Level 3 **Place/location identification**  
 Status: R Max. Occ.: 1

**Description** LOC\_07  
 Abladestelle  
 Place/port of discharge

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
LOC	LOC_07 Abladestelle Place/port of discharge	R	R	LOC	
3227	Location function code qualifier	M an..3	M an..3	+11	<b>Code: 11 Place/port of discharge</b>
C517	Location identification	C	R		
3225	Location name code	C an..25	R an..25	+ASB'	Identification of place of discharge

#### Comments

**Code values:**  
 LOC+11+ASB'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG39** Status: R Max. Occ.: 1 NAD-LOC-SG42

**Segment:** **LOC** cons. No: 105 Level 3 **Place/location identification**  
 Status: C Max. Occ.: 1

**Description** LOC\_07  
 Verbrauchsstelle  
 Point of consumption

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
LOC	LOC_07 Verbrauchsstelle Point of consumption	C	C	LOC	
3227	Location function code qualifier	M an..3	M an..3	+159	<b>Code: 159 Additional internal destination</b>
C517	Location identification	C	R		
3225	Location name code	C an..25	R an..25	+22248'	Identification of point of consumption

#### Comments

#### Code values:

LOC+159+22248'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG39** Status: R Max. Occ.: 1 NAD-LOC-SG42

**Segment:** **LOC** cons. No: 106 Level 3 **Place/location identification**  
 Status: C Max. Occ.: 1

**Description** LOC\_07  
 Lager  
 Warehouse

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
LOC	LOC_07 Lager Warehouse	C	C	LOC	
3227	Location function code qualifier	M an..3	M an..3	+18	<b>Code: 18</b> <b>Warehouse</b>
C517	Location identification	C	R		
3225	Location name code	C an..25	R an..25	+LG26'	Identification of warehouse

#### Comments

**Code values:**  
 LOC+18+LG26'

### Formal description of segments

<b>Group:</b>	<b>SG28</b>	Status: R	Max. Occ.: 999	LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53
<b>Group:</b>	<b>SG39</b>	Status: R	Max. Occ.: 1	NAD-LOC-SG42
<b>Group:</b>	<b>SG42</b>	Status: C	Max. Occ.: 1	CTA-COM
<b>Segment:</b>	<b>CTA</b>	<b>cons. No: 107</b> Status: M	Level 3 Max. Occ.: 1	<b>Contact information</b>

**Description**     **CTA\_03**  
**Ansprechpartner - Lieferkontakt - DL**  
**Contact person - Delivery contact - DL**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
CTA	CTA_03 Ansprechpartner - Lieferkontakt - DL Contact person - Delivery contact - DL	M	M	CTA	
3139	Contact function code	C an..3	R an..3	+DL	<b>Code: DL          Delivery contact</b>
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	X	+	
3412	Department or employee	C an..35	C an..35	:Mueller'	Name of contact person

**Comments**

**Code values:**  
CTA+DL+:Mueller'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG39** Status: R Max. Occ.: 1 NAD-LOC-SG42

**Group:** **SG42** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** **cons. No: 108** Level 4 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_03**  
 Kommunikationsverbindung - Telefon - TE  
 Communication contact - Telephone - TE

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_03 Kommunikationsverbindung - Telefon - TE Communication contact - Telephone - TE	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+0911 555 0162	Telephone number of the contact person
3155	Communication number code qualifier	M an..3	M an..3	:TE'	<b>Code: TE Telephone</b>

#### Comments

**Code values:**  
 COM+0911 555 0162:TE'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG39** Status: R Max. Occ.: 1 NAD-LOC-SG42

**Group:** **SG42** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** **cons. No: 109** Level 4 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_03**  
 Kommunikationsverbindung - Fax - FX  
 Communication contact - Fax - FX

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_03 Kommunikationsverbindung - Fax - FX Communication contact - Fax - FX	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+03089010100	FAX No
3155	Communication number code qualifier	M an..3	M an..3	:FX'	<b>Code: FX</b> <b>Telefax</b>

#### Comments

**Code values:**  
 COM+03089010100:FX'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG39** Status: R Max. Occ.: 1 NAD-LOC-SG42

**Group:** **SG42** Status: C Max. Occ.: 1 CTA-COM

**Segment:** **COM** **cons. No: 110** Level 4 **Communication contact**  
 Status: C Max. Occ.: 1

**Description** **COM\_03**  
**Kommunikationsverbindung - Email - EM**  
**Communication contact - Email - EM**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
COM	COM_03 Kommunikationsverbindung - Email - EM Communication contact - Email - EM	C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..250	+M. Mustermann@buyer.de	email address
3155	Communication number code qualifier	M an..3	M an..3	:EM'	<b>Code: EM</b> <b>Electronic mail</b>

#### Comments

#### Code values:

COM+M.Mustermann@buyer.de:EM'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG43** Status: R Max. Occ.: 5 ALC-SG45-SG46

**Segment:** **ALC** cons. No: 111 Level 2 **Allowance or charge**  
 Status: M Max. Occ.: 1

**Description** ALC\_02  
 Zu- oder Abschlag  
 Allowance or charge

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
ALC	ALC_02 Zu- oder Abschlag Allowance or charge	M	M	ALC	
5463	Allowance or charge qualifier	M an..3	M an..3	+A	<b>Code: A</b> <b>Code: C</b> <b>Allowance Charge</b>
C552	Allowance/charge information	C	C		
1230	Allowance or charge number	C an..35	C an..35	+Bezeichnu ng'	

**Comments**

**Code values:**  
 ALC+A+Bezeichnung'



### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG43** Status: R Max. Occ.: 5 ALC-SG45-SG46

**Group:** **SG45** Status: C Max. Occ.: 1 PCD

**Segment:** **PCD** **cons. No: 112** Level 3 **Percentage details**  
 Status: M Max. Occ.: 1

**Description** PCD\_07  
 Prozentangaben  
 Percentage details

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
PCD	PCD_07 Prozentangaben Percentage details	M	M	PCD	
C501	Percentage details	M	M		
5245	Percentage type code qualifier	M an..3	M an..3	+1	<b>Code: 1</b> <b>Allowance</b> <b>Code: 2</b> <b>Charge</b>
5482	Percentage	C n..10	C n..10	:3	
5249	Percentage basis identification code	C an..3	C an..3	:1'	<b>Code: 1</b> <b>Per unit</b>

#### Comments

**Code values:**  
 PCD+1:3:1'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG43** Status: R Max. Occ.: 5 ALC-SG45-SG46

**Group:** **SG46** Status: C Max. Occ.: 1 MOA-RNG

**Segment:** **MOA** cons. No: 113 Level 3 **Monetary amount**  
 Status: M Max. Occ.: 1

**Description** **MOA\_09**  
**Mehrwertsteuer**  
**Monetary amount**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
MOA	MOA_09 Mehrwertsteuer Monetary amount	M	M	MOA	
C516	Monetary amount	M	M		
5025	Monetary amount type code qualifier	M an..3	M an..3	+8	<b>Code: 8</b> <b>Allowance or charge amount</b>
5004	Monetary amount value	C n..35	C n..35	:90.00	
6345	Currency identification code	C an..3	C an..3	:EUR	<b>Code: EUR</b> <b>Euro</b>
6343	Currency qualifier	C an..3	C an..3	:4'	<b>Code: 4</b> <b>Invoicing currency</b>

#### Comments

#### Code values:

MOA+8:90.00:EUR:4'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG43** Status: R Max. Occ.: 5 ALC-SG45-SG46

**Group:** **SG46** Status: C Max. Occ.: 1 MOA-RNG

**Segment:** **RNG** **cons. No: 114** Level 4 **Range details**  
 Status: C Max. Occ.: 1

**Description** **RNG\_09**  
 Angaben zum Wertebereich  
 Range

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
RNG	RNG_09 Angaben zum Wertebereich Range	C	C	RNG	
6167	Range type qualifier	M an..3	M an..3	+1	<b>Code: 1</b> Allowance range <b>Code: 2</b> Charge range
C280	Range	C	C		
6411	Measurement unit code	M an..3	M an..3	+13'	<b>Code: 13</b> Per order unit

#### Comments

**Code values:**  
 RNG+1+13'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG53** Status: R Max. Occ.: 100 SCC-SG54

**Segment:** **SCC** cons. No: 115 Level 2 **Scheduling conditions**  
 Status: M Max. Occ.: 1

**Description** SCC  
 Zeitplanbedingungen  
 Scheduling conditions

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
SCC	SCC Zeitplanbedingungen Scheduling conditions	M	M	SCC	
4017	Delivery plan commitment level code	M an..3	M an..3	+9'	<b>Code: 9</b> <b>User defined</b>

**Comments**

**Code values:**  
 SCC+9'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG53** Status: R Max. Occ.: 100 SCC-SG54

**Group:** **SG54** Status: R Max. Occ.: 10 QTY-DTM

**Segment:** **QTY** **cons. No: 116** Level 3 **Quantity**  
 Status: M Max. Occ.: 1

**Description** **QTY\_07**  
**Liefermenge**  
**Discrete quantity**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
QTY	QTY_07 Liefermenge Discrete quantity	M	M	QTY	
C186	Quantity details	M	M		
6063	Quantity type code qualifier	M an..3	M an..3	+1	<b>Code: 1</b> <b>Discrete quantity</b>
6060	Quantity	M an..35	M an..35	:10	
6411	Measurement unit code	C an..3	R an..3	:EA'	<b>Code: EA</b> each <b>Code: MTR</b> metre <b>Code: MTK</b> square metre <b>Code: MTQ</b> cubic metre <b>Code: LTR</b> litre <b>Code: TNE</b> tonne (metric ton) <b>Code: KGM</b> kilogram <b>Code: KTM</b> kilometre <b>Code: GRM</b> gram <b>Code: MMT</b> millimetre <b>Code: SET</b> set <b>Code: PR</b> pair <b>Code: DAY</b> day <b>Code: HUR</b> hour <b>Code: PCE</b> piece <b>Code: CNP</b> hundred pack  Other codes according to UN/ECE- Empfehlung Nr. 20

#### Comments

**Code values:**  
 QTY+1:10:EA'

### Formal description of segments

**Group:** **SG28** Status: R Max. Occ.: 999 LIN-PIA-IMD-MEA-QTY-ALI-DTM-MOA-GIR-FTX-SG32-SG33-SG39-SG43-SG53

**Group:** **SG53** Status: R Max. Occ.: 100 SCC-SG54

**Group:** **SG54** Status: R Max. Occ.: 10 QTY-DTM

**Segment:** **DTM** **cons. No: 117** Level 4 **Date/time/period**  
 Status: R Max. Occ.: 1

**Description** DTM\_25  
 Liefertermin  
 Order Date

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
DTM	DTM_25 Liefertermin Order Date	R	R	DTM	
C507	Date/time/period	M	M		
2005	Date/time/period function code qualifier	M an..3	M an..3	+2	<b>Code: 2</b> <b>Delivery date/time, requested</b>
2380	Date/time/period value	C an..35	C an..35	:20020714	
2379	Date/time/period format code	C an..3	C an..3	:102'	<b>Code: 102</b> <b>CCYYMMDD</b> <b>Code: 203</b> <b>CCYYMMDDHHMM</b>

#### Comments

**Code values:**  
 DTM+2:20020714:102'

### Formal description of segments

Segment: **UNS**      cons. No: 118      Level: 0      Section control  
 Status: M      Max. Occ.: 1

Description: **UNS**  
 Abschnitts-Kontrollsegment  
 Section control

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
UNS	UNS Abschnitts- Kontrollsegment Section control	M	M	UNS	
0081	Section identification	M a1	M a1	+S'	<b>Code: S</b> <b>Detail/summary section separation</b>

**Comments**

**Code values:**  
 UNS+S'

### Formal description of segments

Segment: **MOA**      cons. No: 119      Level      1      Monetary amount  
 Status: C      Max. Occ.: 1

Description      **MOA\_12**  
 Summe der Positionen  
 Total line items amount

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
MOA	MOA_12 Summe der Positionen Total line items amount	C	C	MOA	
C516	Monetary amount	M	M		
5025	Monetary amount type code qualifier	M an..3	M an..3	+79	<b>Code: 79      Total line items amount</b>
5004	Monetary amount value	C n..35	C n..15	:4400'	

#### Comments

**Code values:**  
 MOA+79:4400'



### Formal description of segments

Segment: **MOA**      cons. No: 120      Level: 1      Monetary amount  
 Status: C      Max. Occ.: 1

Description: **MOA\_12**  
 Ab- oder Zuschlag  
 Allowance/Charge

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
MOA	MOA_12 Ab- oder Zuschlag Allowance/Charge	C	C	MOA	
C516	Monetary amount	M	M		
5025	Monetary amount type code qualifier	M an..3	M an..3	+8	<b>Code: 8</b>
5004	Monetary amount value	C n..35	C n..15	:0'	<b>Allowance or charge amount</b>

#### Comments

Code values:  
 MOA+8:0'

### Formal description of segments

Segment: **MOA**      cons. No: 121      Level: 1      Monetary amount  
 Status: C      Max. Occ.: 1

Description: **MOA\_12**  
**Skonto**  
**Discount amount**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
MOA	MOA_12 Skonto Discount amount	C	C	MOA	
C516	Monetary amount	M	M		
5025	Monetary amount type code qualifier	M an..3	M an..3	+52	<b>Code: 52      Discount amount</b>
5004	Monetary amount value	C n..35	C n..15	:0'	

#### Comments

**Code values:**  
 MOA+52:0'

### Formal description of segments

Segment: **MOA**      cons. No: 122      Level      1      Monetary amount  
 Status: C      Max. Occ.: 1

Description      MOA\_12  
 Abgabenbetrag  
 VAT amount

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
MOA	MOA_12 Abgabenbetrag VAT amount	C	C	MOA	
C516	Monetary amount	M	M		
5025	Monetary amount type code qualifier	M an..3	M an..3	+124	<b>Code: 124      Tax amount</b>
5004	Monetary amount value	C n..35	C n..15	:704'	

#### Comments

**Code values:**  
 MOA+124:704'

### Formal description of segments

Segment: **MOA**      cons. No: 123      Level      1      Monetary amount  
 Status: C      Max. Occ.: 1

Description      **MOA\_12**  
 Zu versteuernder Betrag  
 Taxable amount

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
MOA	MOA_12 Zu versteuernder Betrag Taxable amount	C	C	MOA	
C516	Monetary amount	M	M		
5025	Monetary amount type code qualifier	M an..3	M an..3	+125	<b>Code: 125      Taxable amount</b>
5004	Monetary amount value	C n..35	C n..15	:4400'	

#### Comments

**Code values:**  
 MOA+125:4400'

### Formal description of segments

Segment: **MOA**      cons. No: 124      Level: 1      Monetary amount  
 Status: C      Max. Occ.: 1

Description: **MOA\_12**  
**Gesamtbetrag**  
**Total amount**

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
MOA	MOA_12 Gesamtbetrag Total amount	C	C	MOA	
C516	Monetary amount	M	M		
5025	Monetary amount type code qualifier	M an..3	M an..3	+128	<b>Code: 128      Total amount</b>
5004	Monetary amount value	C n..35	C n..15	:5104'	

#### Comments

**Code values:**  
 MOA+128:5104'

### Formal description of segments

Segment: **UNT** cons. No: 125 Level 0 Message trailer  
 Status: M Max. Occ.: 1

Description **UNT**  
 Nachrichten-Endesegment  
 Message trailer

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
UNT	UNT Nachrichten- Endesegment Message trailer	M	M	UNT	
0074	Number of segments in the message	M n..6	M n..6	+119	Specifies the total number of segments of a message.
0062	Message reference number	M an..14	M an..14	+1'	Repetition of the reference number from segment UNH_0062.

#### Comments

Code values:  
 UNT+119+1'

### Formal description of segments

Segment: **UNZ**      cons. No: 126      Level      0      Interchange trailer  
 Status: M      Max. Occ.: 1

Description      **UNZ**  
 Nutzdaten-Endesegment  
 Interchange trailer

EDIFACT ORDERS D99.B					
Seg.	Description	StFormat EDIFACT	St Format WebEDI	Example	Remark
UNZ	UNZ Nutzdaten-Endesegment Interchange trailer	M	M	UNZ	
0036	Interchange control count	M n..6	M n..6	+1	Specifies the number of messages in the transmission file.
0020	Interchange control reference	M an..14	M an..14	+0000100002'	Repetition of the data interchange reference from segment UNB_0020.

#### Comments

#### Code values:

UNZ+1+0000100002'