## Comprehensive fleet and vehicle management

### LiDAT – Data transmission and positioning system

www.liebherr.com




Tower cranes and mobile construction cranes



# LiDAT keeps you informed about your cranes



LiDAT is a data transmission and positioning system for Liebherr cranes and those from other manufacturers. Based on the latest data transfer technology, LiDAT supplies information for the localisation and operation of machines, enabling efficient management, remote monitoring and optimised operational planning. LiDAT provides access to all key machine data whenever it is needed. Data is updated several times a day according to your subscription and can be viewed at any time with a web browser. Particularly important information such as messages about specific states and operating parameters can be sent to your email account as required.



### Machine data acquisition


LiDAT provides you with key crane-specific data for the EC-B, EC-H, HC-L, HC and MK series as well the latest fast-erecting cranes. Plus, you receive all error and warning messages from your crane. This data is updated automatically and regularly so that the latest information is always available.





### Machine data analysis

Recorded machine data can be called up quickly and clearly at any time using a web browser. Various report options allow you to access relevant information, such as daily or weekly performance data. Reports can be downloaded and printed as required.



#### You have access to the following crane data:


- Lifting capacity tables
- Load cycles
- Load moment cycles
- Overload reports

- Wind warnings and wind statistics
- Working hours of individual drives
- Event reports
- Scaling data

LIDAT								BHE	RR
Start Machines HotFeeliums	Valitizea	nce F	isa io	Sons	Reports Setting	a.		G,	🖨 Login
Find deployments									
Period				0	eologinent type:				
her: In					Sin agicaror				
21/04/22 98	0.133			5					
Use sentrictions:					- Nambel				
11 With endedness									
<ul> <li>Writed redirchols</li> <li>O then</li> </ul>					Series appletners				
by sets					Appropriate of the original of the second se	a. Inni			
					30				
								here	ingent. The
C Tablet Jan					Ten	124	÷.	10708	75
As apply yours that mush trear orderse sent to									
e 8			4.4		herital				
Operational planning: avail									
- 104	de la Test	- 01		Brid.	w	Inchast	1741	NOW	teroste
0 Ma		- 01 180	4	1991	*** 250-40-6.24	(addare)	9744	NDSI	100
	0-11-12 	01 180 180	4	-	17-200-00-00	(Jahan	a.e.a	NDM	81
	10-11-10-1 	01 180 180 180	4	-	100 CON	Lident Lident	9764	NDSI	11
	0-11-12 	01 180 180	4	1911 1911	7 (2010)48	United United United United United	8764	NDSI	81
	5-11-14 	01 180 180 180 180	4 4 4		100 (C.14)	Colorer Colorer Colorer Colorer Colorer	114	NDSI	211 211 213
Ma         0           0         04.011, 0.0100           0         04.011, 0.0100           0         04.011, 0.0100           0         04.010, 0.0100           0         04.010, 0.0100           0         04.010, 0.010           0         04.010, 0.010	5 4 194 1	91 180 180 180 180 180 180 180 180	4 4 4 4 4 4 4 4 4 4 4 4		100 (C.14)	Colorer Colorer Colorer Colorer Colorer	9764	NDSI	
	5 4 194 1 - 1 2 - 2 2 -	01 180 180 180 180 180 180 180 180	***		2010 00 00 00 00 00 00 00 00 00 00 00 00	Lobier Lobier Lobier Lobier Lobier Lobier Lobier	174		
IN         (0.47), (0.976)           (0.47), (0.976)         (0.47), (0.976)           (0.47), (0.976)         (0.47), (0.976)           (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47), (0.47	5 4 104                                         	91 100 100 100 100 100 100 100 100 100 1			12110010 12110010 12110010 12110010 12110010 1211010 1211010 1211010 1211010 1211010 1211010 1211010 1211010 1211010 1211010 1211010 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 1211000 121000 121000 121000 121000 121000 121000 121000 121000 121000 121000 121000 121000 121000 121000 121000 121000 121000 121000 1210000 1210000 12100000000	Lobier Lobier Lobier Lobier Lobier Lobier Lobier Lobier	114	H011	
	5 4 194 1 - 1 2 - 2 2 -	01 180 180 180 180 180 180 180 180	* * * * * * *		11 ON 11 ON 11 ON 11 ON 11 ON 11 ON 11 ON 11 ON 11 ON 11 ON	Lobier Lobier Lobier Lobier Lobier Lobier Lobier	174		
B         MA           B         BARD, R. (1998)           B         BARD, R. (1998) <td>5 4 104                                                 </td> <td>91 180 180 180 180 180 180 180 180 180</td> <td></td> <td></td> <td>100 - 0.03 200 - 0.00 200 -</td> <td>Lobier Lobier Lobier Lobier Lobier Lobier Lobier Lobier</td> <td>174</td> <td></td> <td></td>	5 4 104                                                 	91 180 180 180 180 180 180 180 180 180			100 - 0.03 200 - 0.00 200 -	Lobier Lobier Lobier Lobier Lobier Lobier Lobier Lobier	174		
	5-1114 	91 180 180 180 180 180 180 180 180 180 18	* * * * * * * * * * * *		2009 C LS 2009 2000 2009 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000 2	Lobier Lobier Lobier Lobier Lobier Lobier Lobier Lobier Lobier Lobier	174		
Image: Control of the contro	5-1114 	64 180 180 180 180 180 180 180 180 180 180	* * * * * * * * * * * *		200-00-021 2020-02000 2020-02000 2020-02000 2020-02000 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-0200 2020-00000000	Labber Labber Labber Labber Labber Labber Labber Labber Labber Labber Labber Labber	174	-	
Image: Control of Con	5-1114 	64 180 180 180 180 180 180 180 180 180 180	* * * * * * * * * * * * * *		2010 C.13 2010 2010 2010 2010 2010 2010 2010 2010	Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber	2744		
Image: Control of Con	5-1114 	94 180 180 180 180 180 180 180 180 180 180			100 - 0.03 100 - 0.04 100 -	Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber	574	100 100 100 100 100	
Image: Control of Con	5-1114 	64 180 180 180 180 180 180 180 180 180 180			100-00-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100-00 100	Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber	5744		
Image: Control of Con	5 4 1944 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	94 180 180 180 180 180 180 180 180 180 180	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		100 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 -	Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber Lobber		1000 100 100 100 100 100 100 100 100 10	

#### **Operational plan**

- Efficient planning of operations and scheduled maintenance
- Quick overview of current operations with operation type, location and duration
- Overview of currently available machines
- Effective work through various filter options



#### Map overview

- Overview of where cranes are deployed
- Optimisation of travel routes for service technicians
- Indication of machines with warning message displayed (red bubble).

LIDAT	ERR	LIDAT LIEBHERR
Start Verdeines Nethradisme Nethradisme Festindisme Reports Satings 🔍	L'ingin	Start Washima Walikadawa Nakisiwarao Radistowa Nawela Satinga 🔍 💰 Login
Tal >Athates 🔯 >http://		Sad > Sport 🔯 > Bapala
Notifications		List of available reports
ingener. Processes for the descent sector of the sector o		Branch and Branch         Branch and Branch <t< td=""></t<>
Fease risections		Rease therefore
Produce role and a second se		400cm / Ministratione 600° energy 1133288 Ministration Visit
Publicing data's Analyzolog Utilization sentitions Loanalyzonalities Variima asage sentitons. Starmap. Coded	LISDHER	Palatergelaan Pranjaniny Adapters tentiters Locategoordites (Arrow angeneritiers Darrop Looked LINDHERR

#### **Parameter input**

- Fast retrieval of information through targeted parameter input
- Reports can be created quickly and easily
- Quick time, machine and site comparison

#### **Report overview**

- Overview of all available reports
- Reports specifically tailored to tower cranes
- Automatically generated reports can be transferred and saved in other formats.

### **LiDAT** functions

#### Fleet and vehicle management

- Applicable for Liebherr cranes and cranes of other manufacturers
- Efficient machine scheduling and management
- Site and operation planning with freely definable work areas and machine groups
- Analysis of machine utilisation
- Logged machine use
- Overview of crane operations through worldwide localisation of machine positions
- Database for optimised fleet management

#### Maintenance management

- Automatic reminder of maintenance activities such as gearbox oil changes or brake maintenance work
- Increased crane availability through efficient planning of maintenance activities
- Predefined maintenance profiles specifically tailored to the crane type with reminder function for maintenance activities
- Option to create additional, individual maintenance profiles
- Scheduling of standard inspections and thorough examinations

#### Licence scope

Machine position data						
Hours of operation and use						
Service interval information						
Deployment planning						
Machine rental						
Machine management						
Manual data request options						
Monitoring of relevant geographical area						
Monitoring of operating times						
Reporting of critical operating states						
Error messages / alerts						
Performance data						

(Depending on crane model and licence)



# The advantages of LiDAT

### **Fleet operators/Hirers**

- Documentation of work assignments
- Minimisation of downtime
- Fast support from the manufacturer
- Optimised economic efficiency of machines
- Comprehensive fleet management from a single source for various machine types incl. third-party equipment
- More planning security: You always know where your machine is andhow efficiently it is being used
- Support from a maintenance management system specially tailored to tower cranes
- Efficient use of cranes for longer service life
- Overloads are detected
- Automatically generated reports on the utilisation and deployment of machines
- Reports can be accessed at any time via the web portal
- Flexible composition of fleets through groupings (e.g. per construction site)
- Area delimitation (geofence) and overview of deployment times
- LiDAT data can be used as a basis for calculating rental rates
- Freely selectable data transmission intervals

### Service

- Online notifications in case of critical operating states
- Cost reduction through efficient fitter deployment and spare parts planning through direct access to every crane
- Optimisation of spare parts planning; the right part on board right away
- Maintenance planning adapted to machine availability
- Support for on-site staff through online diagnosis
- Automated service interval notices







#### Liebherr-Werk Biberach GmbH Memminger Str. 120 • 88400 Biberach an der Riss, Germany Phone +49 7351 41-0 • info.lbc@liebherr.com • www.liebherr.com

